



Product Datasheet

08 Downlights Adjustable LED>Adjustable Multi LED

11109L/W/35



9W LED adjustable multiled downlight, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.












Downloads





Dimensions



Gallery



Must be ordered separately



89015

Physical Specification Product Type Gear Item Group 08 Downlights Adjustable LED Adjustable Multi LED Family Order Code 11109L/W/35 Colour Aluminium Natural Aluminium Material Circular Shape Height 70mm 125mm Diameter **Cutout Hole Diameter** 110mm Recessed Ceiling Yes Depth Required 80mm Indoor Yes

1 Direction

Electrical Characteristics

Adjustable

Fitting	
Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	9W
IP Rating	IP20
Light Source	LED built in
LED Number	9
Cable Length	40cm
F Mark	F

Illumination Data

Colour Temperature	3000K
Lumen Output	405lm
Light Efficiency	45lm/W
Beam Angle	35°
Illumination Diagram	


Packing Info

Pcs/Carton 30

Barcode 5291889020332

HS Code 9405409900

Energy Label



Certification & Warranty

Warranty 2 Years

Wee Directive Yes

switch to one light!

