

08 Downlights Adjustable LED>Adjustable Multi LED

11112L/D/35



12W LED adjustable multiled downlight, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89015

Physical Specification


Product Type	Gear
Item Group	08 Downlights Adjustable LED
Family	Adjustable Multi LED
Order Code	11112L/D/35
Colour	Aluminium
Material	Natural Aluminium
Shape	Circular
Height	70mm
Diameter	155mm
Cutout Hole Diameter	140mm
Recessed Ceiling	Yes
Depth Required	80mm
Indoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
LED Number	12
Cable Length	40cm
F Mark	


Illumination Data

Colour Temperature	6000K
Lumen Output	720lm
Light Efficiency	60lm/W
Beam Angle	35°
Illumination Diagram	

Packing Info

Pcs/Carton	30
Barcode	5291889020721
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Wee Directive	Yes

switch to
one light!

one
LIGHT

