

New 2021 Edition 2>Recessed Spots Adjustable LED

## 11112P/W/W



12W IP65 Dark light COB LED Recessed Adjustable Spot.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards



### Downloads



### Dimensions



### Must be ordered separately



89015A

### Related items



89015AT

### Physical Specification


Item Group

New 2021 Edition 2


Family	Recessed Spots Adjustable LED
Order Code	11112P/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	80mm
Diameter	85mm
Cutout Hole Diameter	72mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Outdoor	Yes
Adjustable	1 Direction

## Electrical Characteristics

### Fitting

Input Type	Constant Current
Input Current	700mA
Voltage	18,5V
Safety Class	
Power(Watts)	12W
IP Rating	IP65
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
LED Number	1
Cable Length	40cm
F Mark	


## Illumination Data

Colour Temperature	3000K
Lumen Output	1100lm
Light Efficiency	91,67lm/W
CRI	90
Beam Angle	40°
Illumination Diagram	
Dark Light	Yes

## Packing Info

Box Length	10cm
Box Width	9cm
Box Height	10,5cm
Pcs/Carton	48
Barcode	5291889070092
HS Code	9405409900

## Energy Label



Warranty

5 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

