Product Datasheet

www.1-light.eu

New 2022 Edition 3>Wall and Ceiling LED

12106X/W/W

6W Ceiling spot, IP20.

Complete with 150mA driver.

Complies with standard EN60598-1 and any other specific standards.

IP20 90 CRI DARK LIGHT CE

Downloads

IES

Dimensions

77mm

58mm

Physical Specification

Item Group	New 2022 Edition 3
Family	Wall and Ceiling LED
Order Code	12106X/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	58mm
Diameter	77mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	⏚
Power(Watts)	6W
IP Rating	IP20
Light Source	LED built in
Dimmable	No

Fitting

Input Type	Constant Current
Input Current	150mA
Voltage	36V
Safety Class	◇III
Power(Watts)	5,4W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 3030
LED Brand	Sanan
LED Number	6
F Mark	▽F

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes

Power(Watts)	4,2-6,3W
Power Factor	0,5
Constant Current	Yes
150mA	28-42V
IP Rating	IP20
Safety Class	▢
Dimmable	No
Ambient Temp	-20°C…+60°C
Operating Temp	85°C
Brand	Eaglerise
Protection	Over Load Protection, Over Voltage Protection, Short circuit Protection

Illumination Data

Colour Temperature	3000K
Lumen Output	480lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

Packing Info

Pcs/Carton	40
Barcode	5291889074458
HS Code	9405413990

Certification & Warranty

**switch to
one light!**

one
LIGHT