



Product Datasheet

14 Wall & Ceiling LED>The Retro Dark Light Cylinders

12112Z/W/W



12W COB LED cylinder, ideal for residential and commercial illumination.

Supplied with Black & Brass reflectors.

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.













Downloads









Dimensions



Gallery




Physical Specification

Item Group	14 Wall & Ceiling LED
Family	The Retro Dark Light Cylinders
Order Code	12112Z/W/W
Colour	White
Material	Die Cast + Plastic
Shape	Circular
Height	100mm

Diameter	73mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No
ectrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	300mA
Voltage	35,9V
Power(Watts)	10,8W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Cree
Gear	
Gear Type	Led Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	7,5-12,6W
Power Factor	0,5
Constant Current	Yes
300mA	25-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Lifud
Illumination Data	
Colour Temperature	3000K
Lumen Output	960lm
Light Efficiency	80lm/W
CRI	80
Beam Angle	45°
Illumination Diagram	
Dark Light	Yes
Packing Info	
Box Length	8cm
Box Width	8cm
Box Height	15,5cm
Pcs/Carton	30
Barcode	5291889059042
HS Code	9405409900



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to one light!

