ONE LIGHT

14 Wall & Ceiling LED>LED Decorative Cylinders

12124D/B/W

24W COB LED Cylinder, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.

IP20 80 CRI CE

Downloads

IES

Dimensions

72mm

260mm

Physical Specification

Item Group	14 Wall & Ceiling LED
Family	LED Decorative Cylinders
Order Code	12124D/B/W
Colour	Black
Material	Aluminium + Plastic
Shape	Circular
Height	72mm
Diameter	260mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

ONE LIGHT

Gear	Built In

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	⏚
Power(Watts)	15W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Current
Input Current	600mA
Voltage	38V
Power(Watts)	22,8W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Citizen

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	18-34W
Power Factor	0,9

Constant Current	Yes
600mA	30-40V
IP Rating	IP20
Safety Class	☐
Dimmable	No
Housing Material	Plastic
Brand	Kegu

Illumination Data

Colour Temperature	3000K
Lumen Output	2000lm
Light Efficiency	83,33lm/W
CRI	80
Beam Angle	45°
Illumination Diagram	

Packing Info

Box Length	8cm
Box Width	8cm
Box Height	26,5cm
Pcs/Carton	18
Barcode	5291889058762
HS Code	9405409900

Energy Label

This luminaire contains built-in LED lamps.

L E D

The lamps cannot be changed in the luminaire.

874/2012

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT