



Product Datasheet

14 Wall & Ceiling LED>The Retro Dark Light Cylinders

12130Z/B/W



30W COB LED cylinder, ideal for residential and commercial illumination.

Supplied with Black & Brass reflectors.

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.













Downloads









Dimensions



Gallery




Physical Specification

Item Group	14 Wall & Ceiling LED
Family	The Retro Dark Light Cylinders
Order Code	12130Z/B/W
Colour	Black
Material	Die Cast + Plastic
Shape	Circular
Height	125mm

Diameter	115mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No
ectrical Characteristics	
Gear	Built In
Fitting . Driver	
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	750mA
Voltage	38V
Power(Watts)	28,5W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Cree
Gear	
Gear Type	Led Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	18,75-31,5W
Power Factor	0,9
Constant Current	Yes
750mA	25-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Lifud
Illumination Data	
Oalaus Taran anatura	200014
Colour Temperature	3000K 2400lm
Light Efficiency	
Light Efficiency	80lm/W
CRI	80
Beam Angle	45°
Illumination Diagram Dorld Light	Vac
Dark Light	Yes
Packing Info	
Box Length	12,5cm
Box Width	12,5cm
Box Height	19cm
Pcs/Carton	12
Barcode	5291889059097
HS Code	9405409900



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to one light!

