

24 LED Control & Dimming>Infrared Ceiling Sensors

22008



230V 200W (LED) 800W (Incandescent) Recessed Ceiling Infrared Motion Sensor.

Detection area, hold time and daylight sensor are adjustable via dip switches


Complies with standard EN60669 and any other specific standards.



Downloads




Dimensions



Physical Specification

Item Group	24 LED Control & Dimming
Family	Infrared Ceiling Sensors
Order Code	22008
Material	Plastic
Shape	Circular
Height	66mm
Diameter	43mm
Cutout Hole Diameter	33mm
Recessed Ceiling	Yes
Depth Required	50mm
Indoor	Yes

Sensor

Input Voltage	220-240V
Power (Watts)	200W (LED) 800W (Incandescent)
Safety Class	
Motion	Yes
Brightness	Yes
Detection Angle	360°
Detection Distance	6m
Time Delay	10sec ± 3sec to 15min 2 min (adjustable)
Installation height	2,2-4m

Packing Info

Box Length	7,8cm
Box Width	6,1cm
Box Height	7,1cm
Box Weight	0,07Kg
Pcs/Carton	100
Carton Length	41cm
Carton Width	32cm
Carton Height	31cm
Carton Weight	7Kg
Barcode	5291889056737
HS Code	8536309090

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

