



# **Product Datasheet**

16 Bathroom & Mirror>The Mirror LED Round Aluminium + PC

38120C/W



20W LED fitting ideal for installation above the bathroom mirror, IP44.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads







Dimensions

		53mm
900mm	I	1 1
	65mm	0

### Gallery




#### **Physical Specification**

Item Group	16 Bathroom & Mirror
Family	The Mirror LED Round Aluminium + PC
Order Code	38120C/W
Colour	Chrome
Material	Aluminium
Diffuser Material	PC
Shape	Rectangular

Length	600mm
Width	65mm
Height	53mm
Surface Wall	Yes
Indoor	Yes
ectrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W
IP Rating	IP44
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	38V
Power(Watts)	19W
IP Rating	IP44
Light Source	LED built in
LED Type	SMD 2835
LED Brand	ETI

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	15-21,5W
Power Factor	0,9
Constant Current	Yes
500mA	30-43V
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	Yingjiao
Illumination Data	
Colour Temperature	4000K
Lumen Output	1700lm
Light Efficiency	85lm/W
CRI	80
Illumination Diagram	
Packing Info	
Box Length	92cm
Box Width	6cm
Box Height	7,5cm
Box Weight	0,9kg
Pcs/Carton	10
Barcode	5291889055792
HS Code	9405409900

# Energy Label



## Certification & Warranty

Warranty	2 Years
Weee Directive	Yes



