

02 Recessed Spots Fixed LED>The Trimless Range

50103GT4/W



2,5W LED trimless recessed downlight, IP44. Suitable for bathroom installations.

Complete with 700mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery





Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The Trimless Range
Order Code	50103GT4/W
Colour	White
Material	Gypsum
Shape	Rectangular
Length	120mm

Width	120mm
Height	58mm
Cutout Hole Width	121mm
Cutout Hole Length	121mm
Recessed trimless ceiling	Yes
Depth Required	70mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	2,5W
IP Rating	IP44
Light Source	LED built in
Dimmable	No

Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	3V
Safety Class	
Power(Watts)	2,1W
IP Rating	IP44
Light Source	LED built in

LED Brand

Cree

Gear

Gear Type

Led Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

1,75-2,8W

Power Factor

0,5

Constant Current

Yes

700mA

2,5-4V

IP Rating

IP20

Safety Class



Ambient Temp

50?

Operating Temp

75?

Housing Material

Plastic

Output Terminal

Connector

Brand

Eaglerise

Protection

0

Illumination Data

Colour Temperature

3000K

Lumen Output

15lm

Light Efficiency

6lm/W

CRI

80

Illumination Diagram



Dark Light

Yes

Packing Info

Box Weight

0,751kg

Pcs/Carton

24


Barcode

5291889043089

HS Code

9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

