

02 Recessed Spots Fixed LED>The Mirror Dark Light Range

50103H/W/W



3W Dark light recessed spot, IP20.

Complete with 700mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions






Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The Mirror Dark Light Range
Order Code	50103H/W/W
Colour	White
Material	Aluminium
Shape	Rectangular
Length	46mm
Width	46mm
Height	42mm
Cutout Hole Width	38mm
Cutout Hole Length	38mm
Recessed Ceiling	Yes


Depth Required	70mm
Indoor	Yes
Adjustable	No

Electrical Characteristics


Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
Dimmable	No

Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	3,5V
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 3535
LED Brand	Bridgelux
LED Number	1
F Mark	

Gear	
------	--

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	1,75-3,15W
Power Factor	0,5
Constant Current	Yes
700mA	2,5-4,5V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	-20°C...+50°C
Operating Temp	75°C
Brand	Eaglerise
Protection	Over Load Protection, Over Voltage Protection, Short circuit Protection

Illumination Data

Colour Temperature	3000K
Lumen Output	160lm
Light Efficiency	53,33lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

Packing Info

Pcs/Carton	60
Barcode	5291889074809
HS Code	9405413990

Warranty

5 years

switch to
one light!

one
LIGHT

