

06 Downlights Fixed LED>The COB Project Square Range

50105K/G/C



5W COB LED project round range downlight, IP53.

Complete with driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Product Type

Item Group

Family

Order Code

Colour

Material

Shape

Gear

06 Downlights Fixed LED

The COB Project Square Range

50105K/G/C



Grey


Die Cast


Rectangular

Length	95mm
Width	95mm
Height	85mm
Cutout Hole Width	85mm
Cutout Hole Length	85mm
Recessed Ceiling	Yes
Depth Required	115mm
Indoor	Yes
Adjustable	No


Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	5W
IP Rating	IP53
Light Source	LED built in
Dimmable	No
F Mark	


Fitting	
Input Type	Constant Current
Input Current	400mA
Voltage	10,5V
Safety Class	
Power(Watts)	4,2W
IP Rating	IP53

Light Source	LED built in
LED Brand	GH
F Mark	

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	3-7W
Power Factor	0,8
Constant Current	Yes
400mA	6-14V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	40°C
Operating Temp	80°C
Housing Material	Plastic
Output Terminal	Cable


Illumination Data

Colour Temperature	4000K
Lumen Output	310lm
Light Efficiency	62lm/W
CRI	80
Beam Angle	100°
Illumination Diagram	

Packing Info

Box Length	13,5cm
Box Width	13cm
Box Height	11,5cm
Box Weight	0,450kg
Pcs/Carton	24
Barcode	5291889028253
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty	2 Years
Wee Directive	Yes

switch to
one light!

one
LIGHT

