

New 2022 Edition 3>Recessed Spots Adjustable LED

## 51012H/W/W



12W Adjustable Dark light recessed spot, IP20.

Complete with 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions






### Physical Specification

Item Group	New 2022 Edition 3
Family	Recessed Spots Adjustable LED
Order Code	51012H/W/W
Colour	White
Material	Aluminium
Shape	Rectangular
Length	158mm
Width	50mm
Height	42mm
Cutout Hole Width	150mm
Cutout Hole Length	43mm
Recessed Ceiling	Yes

Depth Required	70mm
Indoor	Yes
Adjustable	1 Direction

### Electrical Characteristics


Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
Safety Class	
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
Dimmable	No

Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	16V
Safety Class	
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 3535
LED Brand	Bridgelux
LED Number	5
F Mark	

Gear	
Gear Type	Led Driver
Input Voltage	220-240V

50 Hz	Yes
60 Hz	Yes
Power(Watts)	7,7-11,9W
Power Factor	0,85
Constant Current	Yes
700mA	11-17V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	-20°C...+45°C
Operating Temp	75°C
Brand	Eaglerise
Protection	Over Load Protection, Over Voltage Protection, Short circuit Protection

#### Illumination Data

Colour Temperature	3000K
Lumen Output	840lm
Light Efficiency	70lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

#### Packing Info

Pcs/Carton	40
Barcode	5291889074922
HS Code	9405413990

#### Certification & Warranty

switch to  
**one light!**

one  
LIGHT

