

03 Recessed Spots Adjustable > The Dual Ring Range

## 51105AB/AL



Recessed adjustable MR16 spot with GU5.3 lampholder.

Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Physical Specification

Item Group	03 Recessed Spots Adjustable
Family	The Dual Ring Range
Order Code	51105AB/AL
Colour	Aluminium
Material	Aluminium
Shape	Rectangular
Length	94mm
Width	94mm
Height	30mm
Cutout Hole Diameter	80mm
Recessed Ceiling	Yes
Depth Required	75mm

Indoor

Yes

Adjustable

2 Directions

## Electrical Characteristics

### Fitting

Input Type

Constant Voltage

Input Voltage

12V AC/DC

Safety Class



Power(Watts)

50W

IP Rating

IP20

Light Source

Replaceable lamp

Lamp Holder

GU5.3

Number of Lamps

1

Cable Length

40cm

## Illumination Data

Illumination Diagram



## Packing Info

Box Length

12,5cm

Box Width

5cm

Box Height

10cm

Box Weight

0,155kg

Pcs/Carton

50

Barcode

5291889005001

HS Code

9405409900

## Energy Label



## Certification & Warranty

Warranty

5 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

