

## **Product** Datasheet

www.1-light.eu

#### 04 Recessed Spots Adjustable LED>The 1W Mini Square

### 51201AL/D/35




2x1W LED adjustable recessed spot, mini series range, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.





#### Gallery



Must be ordered separately



89004



#### Physical Specification

| Product Type       | Fitting                          |
|--------------------|----------------------------------|
| Item Group         | 04 Recessed Spots Adjustable LED |
| Family             | The 1W Mini Square               |
| Order Code         | 51201AL/D/35                     |
| Colour             | Aluminium                        |
| Material           | Natural Aluminium                |
| Diffuser Material  | Acrylic                          |
| Shape              | Rectangular                      |
| Length             | 113mm                            |
| Width              | 60mm                             |
| Height             | 30mm                             |
| Cutout Hole Width  | 105mm                            |
| Cutout Hole Length | 53mm                             |
| Recessed Ceiling   | Yes                              |
| Depth Required     | 40mm                             |
| Indoor             | Yes                              |
| Adjustable         | 2 Directions                     |

#### **Electrical Characteristics**

| Fitting       |                  |
|---------------|------------------|
| Input Type    | Constant Current |
| Input Current | 350mA            |
|               |                  |

| Safety Class |              |
|--------------|--------------|
| Power(Watts) | 2W           |
| IP Rating    | IP20         |
| Light Source | LED built in |
| LED Number   | 2            |
| Cable Length | 40cm         |




#### Illumination Data

| Colour Temperature   | 6000K  |
|----------------------|--------|
| Lumen Output         | 2x60lm |
| Light Efficiency     | 60lm/W |
| Beam Angle           | 35°    |
| Illumination Diagram |        |

#### Packing Info

| Pcs/Carton | 50            |
|------------|---------------|
| Barcode    | 5291889015901 |
| HS Code    | 9405409900    |

#### Energy Label





| Warranty      | 2 Years |
|---------------|---------|
| Wee Directive | Yes     |

# switch to one light!



