

04 Recessed Spots Adjustable LED>The 1W Mini Square

## 51301AL/D/15



3x1W LED adjustable recessed spot, mini series range, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions



### Gallery



### Must be ordered separately




89004

## Physical Specification

Product Type	Fitting
Item Group	04 Recessed Spots Adjustable LED
Family	The 1W Mini Square
Order Code	51301AL/D/15
Colour	Aluminium
Material	Natural Aluminium
Diffuser Material	Acrylic
Shape	Rectangular
Length	165mm
Width	60mm
Height	30mm
Cutout Hole Width	155mm
Cutout Hole Length	53mm
Recessed Ceiling	Yes
Depth Required	40mm
Indoor	Yes
Adjustable	2 Directions

## Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Number	3
Cable Length	40cm

## Illumination Data

Colour Temperature

6000K

Lumen Output

3x60lm

Light Efficiency

60lm/W

Beam Angle

15°

Illumination Diagram



## Packing Info

Pcs/Carton

50


Barcode

5291889005469

HS Code

9405409900

## Energy Label



## Certification &amp; Warranty

Warranty

2 Years

Wee Directive

Yes

switch to  
**one light!**

one  
LIGHT

