

04 Recessed Spots Adjustable LED>The 1W Mini Square

51401AL/D/35



4x1W LED adjustable recessed spot, mini series range, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately




89004

Physical Specification

Product Type	Fitting
Item Group	04 Recessed Spots Adjustable LED
Family	The 1W Mini Square
Order Code	51401AL/D/35
Colour	Aluminium
Material	Natural Aluminium
Diffuser Material	Acrylic
Shape	Rectangular
Length	113mm
Width	113mm
Height	30mm
Cutout Hole Width	105mm
Cutout Hole Length	105mm
Recessed Ceiling	Yes
Depth Required	40mm
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	4W
IP Rating	IP20
Light Source	LED built in
LED Number	4
Cable Length	40cm


Illumination Data

Colour Temperature	6000K
--------------------	-------

Lumen Output	4x60lm
--------------	--------

Light Efficiency	60lm/W
------------------	--------

Beam Angle	35°
------------	-----

Illumination Diagram	
----------------------	---


Packing Info

Pcs/Carton	50
------------	----

Barcode	5291889015949
---------	---------------

HS Code	9405409900
---------	------------

Energy Label



Certification & Warranty

Warranty

2 Years

Wee Directive

Yes

switch to
one light!

one
LIGHT

