

14 Wall & Ceiling LED > Indoor Mini Series Natural aluminium

60008/AL/D



2x1W LED Indoor Mini Series, IP20.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	14 Wall & Ceiling LED
Family	Indoor Mini Series Natural aluminium
Order Code	60008/AL/D
Colour	Aluminium
Material	Natural Aluminium
Shape	Rectangular
Length	75mm
Width	45mm
Height	90mm
Surface Wall	Yes
Indoor	Yes

Gear

Built In

Fitting + Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

2x1W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Power(Watts)

2W

IP Rating

IP20

Light Source

LED built in

Gear

Gear Type

Led Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Constant Current

Yes

IP Rating

IP20

Safety Class



Dimmable

No

Housing Material

Plastic

Output Terminal

Cable

Manufacturer

Galoppato

Illumination Data

Colour Temperature

6000K

Illumination Diagram



Packing Info

Pcs/Carton

50


Barcode

5291889015703

HS Code

9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

