



# **Product Datasheet**

### 18 Decorative>LED Circle Rings

### 62156C/B/W



65W LED Pendant , IP20 suitable for residential and commercial application .

Complete with 1600mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



#### **Physical Specification**

| Item Group        | 18 Decorative    |
|-------------------|------------------|
| Family            | LED Circle Rings |
| Order Code        | 62156C/B/W       |
| Colour            | Black            |
| Material          | Aluminium        |
| Shape             | Circular         |
| Height            | 3000mm           |
| Diameter          | 1270mm           |
| Suspended Ceiling | Yes              |
| Indoor            | Yes              |
| Adjustable        | No               |

| Gear          |            |
|---------------|------------|
|               |            |
| Gear Type     | Led Driver |
| Input Voltage | 220-240V   |
| 50 Hz         | Yes        |
| 60 Hz         | Yes        |
| Power(Watts)  | 41,6-60,8W |
|               |            |

| Power Factor                                                                  | 0,9                       |
|-------------------------------------------------------------------------------|---------------------------|
| Constant Current                                                              | Yes                       |
| 1600mA                                                                        | 26-38V                    |
| IP Rating                                                                     | IP20                      |
| Safety Class                                                                  |                           |
| Dimmable                                                                      | No                        |
| Housing Material                                                              | Plastic                   |
| Output Terminal                                                               | Cable                     |
| Brand                                                                         | 3AAA                      |
|                                                                               |                           |
|                                                                               |                           |
| Illumination Data                                                             |                           |
| Illumination Data  Colour Temperature                                         | 3000K                     |
|                                                                               | 3000K<br>4300lm           |
| Colour Temperature                                                            |                           |
| Colour Temperature  Lumen Output                                              | 4300lm                    |
| Colour Temperature  Lumen Output  Light Efficiency                            | 4300lm<br>66,15lm/W       |
| Colour Temperature  Lumen Output  Light Efficiency  CRI                       | 4300lm<br>66,15lm/W<br>80 |
| Colour Temperature  Lumen Output  Light Efficiency  CRI                       | 4300lm<br>66,15lm/W<br>80 |
| Colour Temperature  Lumen Output  Light Efficiency  CRI  Illumination Diagram | 4300lm<br>66,15lm/W<br>80 |

5,7Kg

5291889064688


9405409900

## Energy Label

Barcode

HS Code

Carton Weight



#### Certification & Warranty

| Warranty       | 2 Years |
|----------------|---------|
| Weee Directive | Yes     |



