

15 Plafo > Decorative Plafo

## 62182A/BBR/W



50W LED Decorative Plafo, IP20, suitable for residential and commercial application.

Complete with 1300mA driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads






### Dimensions




### Physical Specification

Item Group	15 Plafo
Family	Decorative Plafo
Order Code	62182A/BBR/W
Colour	Brushed Brown
Material	Aluminium
Shape	Circular
Height	87mm
Diameter	600mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No


Gear		Built In	
Fitting + Driver			
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Safety Class			
Power(Watts)		50W	
IP Rating		IP20	
Light Source		LED built in	
Dimmable		No	
F Mark			

Fitting			
Input Type		Constant Current	
Input Current		1300mA	
Voltage		37V	
Power(Watts)		48,1W	
IP Rating		IP20	
Light Source		LED built in	
LED Type		SMD 2835	
LED Brand		Epistar	
F Mark			

Gear			
Gear Type		Led Driver	
Input Voltage		220-240V	
50 Hz		Yes	
60 Hz		Yes	
Power(Watts)		32,5-54,6W	

Power Factor	0,9
Constant Current	Yes
1300mA	25-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Output Terminal	Cable
Brand	Eaglerise


### Illumination Data

Colour Temperature	3000K
Lumen Output	3000lm
Light Efficiency	60lm/W
CRI	80
Illumination Diagram	

### Packing Info

Pcs/Carton	1
Barcode	5291889066002
HS Code	9405409900

### Energy Label



Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

