



Product Datasheet

18 Decorative>The Swirl Range

63062/BS



36W LED Decorative Pendant.

Complete with 24V driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads







Dimensions



Physical Specification

Item Group	18 Decorative
Family	The Swirl Range
Order Code	63062/BS
Colour	Brass
Material	Aluminium + Steel
Diffuser Material	Acrylic
Shape	Circular
Height	1500mm
Diameter	820mm
Suspended Ceiling	Yes
Indoor	Yes
Adjustable	No

Built In

Input Voltage

50 Hz

60 Hz Safety Class

Power(Watts)

IP Rating **Light Source**

Dimmable

F Mark

220-240V

Yes

Yes

36W

IP20

LED built in

No

F

Fitting

Input Type Constant Voltage

Input Voltage 24V DC

Safety Class

IP Rating

Light Source

LED Type

Power(Watts)

LED Brand

(III)

36W

IP20

LED built in

SMD 2835

Epistar

Gear

Gear Type

Input Voltage 220-240V

50 Hz

60 Hz

Power Factor

Power(Watts)

Led Driver

Yes

Yes 36W

0,9

Constant Voltage	Yes
24 V	Yes
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	ANWAY
Ilumination Data	
Ilumination Data	
Ilumination Data Colour Temperature	3000K
	3000K 1800lm
Colour Temperature	
Colour Temperature Lumen Output	1800lm
Colour Temperature Lumen Output Light Efficiency	1800lm 50lm/W
Colour Temperature Lumen Output Light Efficiency CRI	1800lm 50lm/VV 80
Colour Temperature Lumen Output Light Efficiency CRI Illumination Diagram	1800lm 50lm/VV 80
Colour Temperature Lumen Output Light Efficiency CRI	1800lm 50lm/VV 80


5291889066637

9405409900

Energy Label

Barcode

HS Code



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes



