

Product Datasheet

www.1-light.eu

10 Track Spots>The COB Cylinder Track Spot

65642CT/B/W



30W track spot with COB LED, ideal for shops and showrooms.

Supplied with electronic high frequency control driver as standard.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



Gallery



Related items



40003A/B

Physical Specification

Item Group

10 Track Spots

Family

The COB Cylinder Track Spot

| Order Code | 65642CT/B/W |
|----------------------------|--------------|
| Colour | Black |
| Material | Aluminium |
| Shape | Circular |
| Height | 200mm |
| Diameter | 90mm |
| Track mounted | Yes |
| Indoor | Yes |
| Adjustable | 2 Directions |
| | |
| Electrical Characteristics | |
| Gear | Built In |
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class | |

30W

IP20

No

LED built in

Constant Current

750mA

38V

(III)

28,5W

IP20

LED built in

Power(Watts)

IP Rating

Light Source

Dimmable

Fitting

Input Type

Voltage

Input Current

Safety Class

Power(Watts)

IP Rating


Light Source

| LED Type | COB |
|----------------------|--------------------------|
| LED Brand | Sanan |
| | |
| Gear | |
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 19-30W |
| Power Factor | 0,9 |
| Constant Current | Yes |
| 750mA | 25-40V |
| IP Rating | IP20 |
| Safety Class | |
| Dimmable | No |
| Ambient Temp | 50°C |
| Operating Temp | 80°C |
| Housing Material | Plastic |
| Output Terminal | Connector |
| Manufacturer | Lifud |
| Protection | Short Circuit Protection |
| | |
| llumination Data | |
| Colour Tomon arotura | 20001/ |
| Colour Temperature | 3000K |
| Light Efficiency | 2400lm |
| Light Efficiency | 80lm/W |
| CRI | 80 |
| Beam Angle | 38° |
| Illumination Diagram | |
| | |

Packing Info

| Box Length | 27cm |
|------------|---------------|
| Box Width | 10,5cm |
| Box Height | 10,5cm |
| Box Weight | 1,1kg |
| Pcs/Carton | 15 |
| Barcode | 5291889053965 |
| HS Code | 9405409900 |

Energy Label



Certification & Warranty

| Warranty | 2 Years |
|------------------|------------|
| Average Lifetime | 30000hours |
| Weee Directive | Yes |

switch to one light!

