

09 Track Lights>The Adjustable Power Range

65660AT/B/C



10W/15W/20W Adjustable power COB LED track spot, ideal for shops and showrooms.

Complete with driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Accessories



050300A/BS



050300A/W



050300AH/B



0750A/15



0750A/24

Related items



40001A/B



40002A/B



40003A/B


Physical Specification

Item Group

09 Track Lights

Family	The Adjustable Power Range
Order Code	65660AT/B/C
Colour	Black
Material	Aluminium
Shape	Circular
Height	90mm
Diameter	80mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions


Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	10W/15W/20W
IP Rating	IP20
Light Source	LED built in
Dimmable	No


Fitting	
Input Type	Constant Current
Input Current	300mA/400mA/500mA
Voltage	32V
Power(Watts)	9,6W/12,8W/16W
IP Rating	IP20
Light Source	LED built in

LED Type	COB
LED Brand	Bridgelux
LED Number	1

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	Refer to table
Power Factor	0,9
Constant Current	Yes
300mA	20-40V
400mA	20-40V
500mA	20-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	KGP

Illumination Data

Colour Temperature	4000K
Lumen Output	1200lm/1800lm/2400lm
Light Efficiency	120lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	

Packing Info

Pcs/Carton

20

Barcode

5291889073130

HS Code

9405413990

Certification & Warranty

Warranty

5 years

switch to
one light!

one
LIGHT

