

Product Datasheet

www.1-light.eu

09 Track Lights>The Adjustable Power Range

65660BT/B/C



20W/25W/30W/35W Adjustable power COB LED track spot, ideal for shops and showrooms.

Complete with driver.

Complies with standard EN60598-1 and any other specific standards.





Downloads










Dimensions



Accessories



050300B/BS



050300B/W



050300BH/B



0750B/15



0750B/24

Related items



40001A/W



40002A/W



40003A/W

Physical Specification

Item Group

09 Track Lights

Family	The Adjustable Power Range
Order Code	65660BT/B/C
Colour	Black
Material	Aluminium
Shape	Circular
Height	100mm
Diameter	100mm
Track mounted	Yes
Indoor	Yes
Adjustable	2 Directions
Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W/25W/30W/35W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
Fitting	
Input Type	Constant Current
Input Current	500mA/700mA/800mA/950mA
Voltage	34V
Power(Watts)	17W/23,8W/27,2W/32,3W
IP Rating	IP20
Light Source	LED built in

LED Type	СОВ
LED Brand	Bridgelux
LED Number	1
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	Refer to table
Power Factor	0,9
Constant Current	Yes
500mA	10-42V
700mA	10-42V
800mA	10-42V
900mA	10-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	KGP
llumination Data	
Colour Tomporature	4000K
Colour Temperature	4000K 2400lm/2000lm/2600lm/4200lm
Lumen Output	2400lm/3000lm/3600lm/4200lm
Light Efficiency	120lm/W
CRI	90

38°

Beam Angle

Illumination Diagram

Pcs/Carton 10 Barcode 5291889073178 HS Code 9405413990

Certification & Warranty

Packing Info

Warranty 5 years



