

14 Wall & Ceiling LED > Outdoor Ceiling Cylinders Die cast

67138D/B/W



6W Outdoor Ceiling Cylinder, IP54.

Complete with driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

|                 |                                    |
|-----------------|------------------------------------|
| Item Group      | 14 Wall & Ceiling LED              |
| Family          | Outdoor Ceiling Cylinders Die cast |
| Order Code      | 67138D/B/W                         |
| Colour          | Black                              |
| Material        | Die Cast                           |
| Shape           | Rectangular                        |
| Length          | 80mm                               |
| Width           | 80mm                               |
| Height          | 107mm                              |
| Surface Ceiling | Yes                                |
| Indoor          | Yes                                |
| Outdoor         | Yes                                |

## Gear

## Built In

## Fitting + Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

6W

IP Rating

IP54

Light Source

LED built in

Dimmable

No

F Mark



## Fitting

Input Type

Constant Current

Input Current

500mA

Voltage

10V

Power(Watts)

5W

IP Rating

IP54

Light Source

LED built in

LED Type

COB

LED Brand

Edison

## Gear

Gear Type

Led Driver

Input Voltage

100-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)


3-6W

Power Factor

0,9

|                  |   |
|------------------|---|
| Constant Current | Yes   |
| 500mA            | 6-12V   |
| IP Rating        | IP20  |
| Safety Class     |  |
| Dimmable         | No  |
| Ambient Temp     | 55°C  |
| Operating Temp   | 70°C  |
| Manufacturer     | Eaglerise   |

### Illumination Data

|                      |   |
|----------------------|---|
| Colour Temperature   | 3000K   |
| Lumen Output         | 440lm   |
| Light Efficiency     | 73,33lm/W   |
| CRI                  | 80  |
| Beam Angle           | 35°   |
| Illumination Diagram |  |

### Packing Info

|            |               |
|------------|---------------|
| Box Length | 12cm          |
| Box Width  | 9cm           |
| Box Height | 15cm          |
| Box Weight | 0,4Kg         |
| Pcs/Carton | 18            |
| Barcode    | 5291889060024 |
| HS Code    | 9405409900    |

### Energy Label



## Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

**one**  
LIGHT

