




## **Product Datasheet**

14 Wall & Ceiling LED>Indoor/Outdoor Light Points Natural aluminium

67336/AL/W



2x1W LED wall light, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.




Downloads





Dimensions



#### **Physical Specification**

Item Group	14 Wall & Ceiling LED
Family	Indoor/Outdoor Light Points Natural aluminium
Order Code	67336/AL/W
Colour	Aluminium
Material	Natural Aluminium
Shape	Rectangular
Length	80mm
Width	79mm
Height	130mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes

Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	2x1W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Power(Watts)	2W
Power(Watts)  IP Rating	2W IP54
IP Rating	IP54
IP Rating	IP54
IP Rating Light Source	IP54
IP Rating Light Source Gear	IP54 LED built in
IP Rating Light Source  Gear  Gear Type	LED built in  Led Driver
IP Rating Light Source  Gear  Gear Type Input Voltage	Led Driver 100-240V
IP Rating Light Source  Gear  Gear Type Input Voltage  50 Hz	Led Driver  100-240V Yes
IP Rating Light Source  Gear  Gear Type Input Voltage  50 Hz  60 Hz	LED built in  Led Driver  100-240V  Yes  Yes
IP Rating Light Source  Gear  Gear Type Input Voltage  50 Hz  60 Hz  Power(Watts)	Led Driver  100-240V  Yes  Yes  2W
IP Rating Light Source  Gear  Gear Type Input Voltage  50 Hz  60 Hz  Power(Watts)  Constant Current	Led Driver  100-240V  Yes  Yes  2W  Yes
IP Rating Light Source  Gear  Gear Type Input Voltage  50 Hz  60 Hz  Power(Watts)  Constant Current  IP Rating	Led Driver  100-240V  Yes  Yes  2W  Yes

#### Illumination Data

Colour Temperature Lumen Output

130lm

Light Efficiency

65lm/W

3000K

Illumination Diagram

#### Packing Info

Pcs/Carton

20


Barcode

5291889033066

**HS** Code

9405409900

#### Energy Label



### Certification & Warranty

Warranty

2 Years

# switch to one light!

