



Product Datasheet

14 Wall & Ceiling LED>Indoor/Outdoor Wall Lines Die cast

67354/G/W



2x3W LED wall light, IP54, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.




Downloads





Dimensions



Gallery




Physical Specification

Item Group	14 Wall & Ceiling LED
Family	Indoor/Outdoor Wall Lines Die cast
Order Code	67354/G/W
Colour	Grey
Material	Die Cast
Shape	Rectangular
Length	90mm

Width	112mm
Height	90mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes
lectrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	2x3W
IP Rating	IP54
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	8V
Power(Watts)	5,6W
IP Rating	IP54
Light Source	LED built in
LED Brand	Cree
Gear	
Gear Type	Led Driver

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	4,2-8,4W
Power Factor	0,9
Constant Current	Yes
700mA	6-12V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Ilumination Data	
Colour Temperature	3000K
	3000K 182lm
Colour Temperature	
Colour Temperature Lumen Output	182lm
Colour Temperature Lumen Output Light Efficiency	182lm
Colour Temperature Lumen Output Light Efficiency	182lm
Colour Temperature Lumen Output Light Efficiency Illumination Diagram	182lm
Colour Temperature Lumen Output Light Efficiency Illumination Diagram	182lm
Colour Temperature Lumen Output Light Efficiency Illumination Diagram	182lm 30,33lm/W
Colour Temperature Lumen Output Light Efficiency Illumination Diagram Packing Info Box Weight	182lm 30,33lm/W 1Kg
Colour Temperature Lumen Output Light Efficiency Illumination Diagram Packing Info Box Weight Pcs/Carton	182lm 30,33lm/W 1Kg 12

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes



