



Product Datasheet

14 Wall & Ceiling LED>Down Illumination Wall Lights ABS + PC

67386C/AN/W



4W LED wall light, IP65, ideal for both indoor and outdoor installation.

Complies with standard EN60598-1 and any other specific standards.




Downloads







Dimensions



Physical Specification


Product Type	Gear
Item Group	14 Wall & Ceiling LED
Family	Down Illumination Wall Lights ABS + PC
Order Code	67386C/AN/W
Colour	Anthracite
Material	ABS
Diffuser Material	PC
Shape	Rectangular
Length	220mm
Width	37mm
Height	80mm
Surface Wall	Yes

Indoor	Yes
Outdoor	Yes
Electrical Characteristics	
Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	4W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar
LED Number	28
Gear	
Illumination Data	
manmation bata	
Colour Temperature	3000K
Lumen Output	220lm
Light Efficiency	55lm/W
CRI	
	80

Illumination Diagram	
Dark Light	Yes

Packing Info	
Box Length	23cm
Box Width	9cm
Box Height	4,5cm
Box Weight	0,27Kg
Pcs/Carton	20
Barcode	5291889048923
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty 2 Years
Weee Directive Yes

switch to one light!

