



Product Datasheet

14 Wall & Ceiling LED>Outdoor Wall Up & Down Lights

67392/AN/W



7W LED wall light, IP65, ideal for both indoor and outdoor installation.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.




Downloads







Dimensions



Physical Specification

Item Group	14 Wall & Ceiling LED
Family	Outdoor Wall Up & Down Lights
Order Code	67392/AN/W
Colour	Anthracite
Material	Die Cast
Shape	Rectangular
Length	170mm
Width	80mm
Height	46mm
Surface Wall	Yes
Indoor	Yes
Outdoor	Yes


Gear

Electrical Characteristics Gear Built In Fitting + Driver Input Voltage 220-240V 50 Hz Yes 60 Hz Yes Safety Class Power(Watts) 7WIP Rating IP65 Light Source LED built in Dimmable No F F Mark Fitting Input Type **Constant Current** Input Current 500mA Voltage 14V Power(Watts) 7WIP Rating IP65 Light Source LED built in LED Type SMD 2835 **LED Brand** Epistar LED Number 52 F F Mark

Gear Type	Led Driver
Input Voltage	220-240V

50 Hz	Yes
60 Hz	Yes
Power(Watts)	7W
Power Factor	0,9
Constant Current	Yes
500mA	14V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Manufacturer	Eaglerise
Ilumination Data	
Colour Temperature	3000K
Lumen Output	400lm
Light Efficiency	57lm/W
CRI	80
Illumination Diagram	
Packing Info	
Box Length	18cm
Box Width	9,5cm
Box Height	5,5cm
Box Weight	0,35kg
Pcs/Carton	20
Barcode	5291889049067
HS Code	9405104090

Energy Label



Certification & Warranty

Warranty	2 Years
Weee Directive	Yes



