

## **Product** Datasheet

www.1-light.eu

67470A/B/W

### 20 Garden & Underwater>LED Garden Path Lights Die Cast



10W LED Bollard, IP65 for Garden illumination.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



	Downloads	Dimensions
		80mm 1 800mm 800mm - 1 120mm
F	Physical Specification	
	Item Group	20 Garden & Underwater
	Family	LED Garden Path Lights Die Cast
	Order Code	67470A/B/W

Colour

Material

**Diffuser Material** 

Shape

Black

Die Cast

PC

Rectangular

Length	120mm
Width	80mm
Height	800mm
Surface Ceiling	Yes
Surface Wall	Yes



Surface Floor/Ground	Yes
Outdoor	Yes
Adjustable	No

#### **Electrical Characteristics**

Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	10W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	F

Fitting

Input Type	Constant Current
Input Current	260mA
Voltage	38V
Power(Watts)	9,8W
IP Rating	IP65
Light Source	LED built in

Gear	
Gear Type	Led Driver
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes




Power(Watts)	4,2-6,3W
Power Factor	0,9
Constant Current	Yes
Output	260mA
Voltage Range	30-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector

#### Illumination Data

Colour Temperature	3000K
Lumen Output	500lm
Light Efficiency	50lm/W
CRI	80
Illumination Diagram	

#### Packing Info

Pcs/Carton	6
Barcode	5291889061694
HS Code	9405409900





Warranty	2 Years
Weee Directive	Yes

# switch to one light!

Certification & Warranty



