

19 Wall Recessed & Inground>The Inground Mini Series Natural Aluminium

69042/AL/W



1W COB LED inground, IP67, stainless steel 316, for path illumination.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89004



Physical Specification

Item Group	19 Wall Recessed & Inground
Family	The Inground Mini Series Natural Aluminium
Order Code	69042/AL/W
Colour	Aluminium
Material	Natural Aluminium
Diffuser Material	Glass

Shape	Circular
Height	53mm
Diameter	37mm
Cutout Hole Diameter	30mm decking 35mm concrete
Inground	Yes
Depth Required	80mm deck 95mm+300mm drainage Concrete
Indoor	Yes
Outdoor	Yes
Adjustable	No

## Electrical Characteristics

### Fitting

Input Type	Constant Current
Input Current	350mA
Voltage	3,1V
Safety Class	
Power(Watts)	1W
IP Rating	IP67
Light Source	LED built in
LED Type	SMD
LED Brand	Cree
LED Number	1
Cable Length	200cm
F Mark	

## Illumination Data

Colour Temperature	3000K
Lumen Output	80lm
Light Efficiency	80lm/W

CRI

85

Illumination Diagram



## Packing Info

Box Length

6,5cm

Box Width

5cm

Box Height

10,5cm

Box Weight

0,188Kg

Pcs/Carton

50


Barcode

5291889045243

HS Code

9405409900

## Energy Label



## Certification & Warranty

Warranty

2 Years

Average Lifetime

50000Hours

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

