


19 Wall Recessed & Inground>The Inground Mini Series Natural Aluminium

**69042B/AL/W**



1W COB LED inground, IP67, stainless steel 316, for path illumination.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately




89004

## Physical Specification

|                      |  |
|----------------------|--|
| Item Group           | 19 Wall Recessed & Inground                |
| Family               | The Inground Mini Series Natural Aluminium |
| Order Code           | 69042B/AL/W                                |
| Colour               | Aluminium                                  |
| Material             | Natural Aluminium                          |
| Diffuser Material    | Glass                                      |
| Shape                | Circular                                   |
| Height               | 53mm                                       |
| Diameter             | 37mm                                       |
| Cutout Hole Diameter | 30mm decking 35mm concrete                 |
| Inground             | Yes  |
| Depth Required       | 80mm deck 95mm+300mm drainage Concrete     |
| Indoor               | Yes  |
| Outdoor              | Yes  |
| Adjustable           | No   |

## Electrical Characteristics

### Fitting

|               |   |
|---------------|---|
| Input Type    | Constant Current  |
| Input Current | 350mA   |
| Voltage       | 3,1V  |
| Safety Class  |  |
| Power(Watts)  | 1W  |
| IP Rating     | IP67  |
| Light Source  | LED built in  |
| LED Type      | SMD   |
| LED Brand     | Cree  |
| LED Number    | 1   |

Cable Length

200cm

F Mark



## Illumination Data

Colour Temperature

3000K

Lumen Output

80lm

Light Efficiency

80lm/W

CRI

85

Illumination Diagram



## Packing Info

Box Length

6,5cm

Box Width

5cm

Box Height

10,5cm

Box Weight

0,188Kg

Pcs/Carton

50


Barcode

5291889045267

HS Code

9405409900

## Energy Label



Warranty

2 Years

Average Lifetime

50000Hours

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

