




19 Wall Recessed & Inground>The COB Inground Range 10-35W

69050A/W



20W COB LED inground with removable honeycomb, IP67, stainless steel 316, for path illumination.

AC LED .

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery





Physical Specification

Item Group	19 Wall Recessed & Inground
Family	The COB Inground Range 10-35W
Order Code	69050A/W
Colour	Stainless Steel
Material	Stainless Steel 316
Diffuser Material	Glass
Shape	Rectangular

Length	145mm
Width	145mm
Height	140mm
Cutout Hole Diameter	132mm
Inground	Yes
Depth Required	200mm+300mm drainage
Indoor	Yes
Outdoor	Yes
Adjustable	No
IK Rating	10


Electrical Characteristics

Gear	No
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W
IP Rating	IP67
Light Source	LED built in
Dimmable	Yes
Dimmer type	Triac
Cable Length	200cm
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	1800lm

Light Efficiency
CRI
Beam Angle
Illumination Diagram


90lm/W
80
25°


Packing Info

Pcs/Carton
Barcode
HS Code

6
5291889055921
9405409900

Energy Label



Certification & Warranty

Warranty
Weee Directive

2 Years
Yes

switch to  
one light!

