

New 2023 Edition 2>Industrial & Floodlights

70112/B/W



LED outdoor light for poles 3m and higher. Ideal for parks, parkings, playgrounds. Post Diameter 60mm.

Complete with 2400mA driver.


Complies with standard EN60598-1 and any other specific standards.




Downloads



Dimensions



Gallery





Physical Specification

| | |
|------------|--------------------------|
| Item Group | New 2023 Edition 2 |
| Family | Industrial & Floodlights |
| Order Code | 70112/B/W |
| Colour | Black |
| Material | Die Cast |
| Shape | Circular |
| Height | 530mm |


| | |
|----------------------|-------|
| Diameter | 450mm |
| Surface Floor/Ground | Yes |
| Outdoor | Yes |
| Adjustable | No |
| IK Rating | 8 |

Electrical Characteristics


| Gear | Built In |
|------------------|---|
| Fitting + Driver | |
| Input Voltage | 100-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 75W |
| IP Rating | IP66 |
| Light Source | LED built in |
| Dimmable | No |
| Cable Length | 150cm |
| F Mark |  |

| Fitting | |
|---------------|------------------|
| Input Type | Constant Current |
| Input Current | 2400mA |
| Voltage | 30V |
| Power(Watts) | 72W |
| IP Rating | IP66 |
| Light Source | LED built in |
| LED Brand | Seoul |

| Gear |
|------|
|------|

| | |
|------------------|---|
| Gear Type | Led Driver |
| Input Voltage | 100-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 52,8-134,4W |
| Power Factor | 0,9 |
| Constant Current | Yes |
| Output | 2400mA |
| Voltage Range | 22-56V |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | No |
| Housing Material | Plastic |
| Output Terminal | Connector |
| Brand | Sosen |

Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 3000K |
| Lumen Output | 9000lm |
| Light Efficiency | 120lm/W |
| CRI | 80 |
| Illumination Diagram |  |

Packing Info

| | |
|------------|---------------|
| Box Weight | 9.500kg |
| Pcs/Carton | 1 |
| Barcode | 5291889075462 |
| HS Code | 9405413990 |

Certification & Warranty

Warranty

5 years

Weee Directive

Yes

switch to
one light!

one
LIGHT

