

21 Industrial & Floodlights>The LED Wall Washers Aluminium

## 7055A/W



12x1W LED Wall Washers.

Connect Maximum 10pcs.

Requires 24V DC constant voltage LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification



|                      |                                |
|----------------------|--------------------------------|
| Item Group           | 21 Industrial & Floodlights    |
| Family               | The LED Wall Washers Aluminium |
| Order Code           | 7055A/W                        |
| Colour               | Grey                           |
| Material             | Aluminium                      |
| Shape                | Rectangular                    |
| Length               | 500mm                          |
| Width                | 31mm                           |
| Height               | 60mm                           |
| Surface Ceiling      | Yes                            |
| Surface Wall         | Yes                            |
| Surface Floor/Ground | Yes                            |

|            |
|------------|
| Indoor     |
| Outdoor    |
| Adjustable |


|             |
|-------------|
| Yes         |
| Yes         |
| 1 Direction |

## Electrical Characteristics

### Fitting

|               |   |
|---------------|---|
| Input Type    | Constant Voltage  |
| Input Voltage | 24V DC  |
| Safety Class  |    |
| Power(Watts)  | 12W   |
| IP Rating     | IP66  |
| Light Source  | LED built in  |
| LED Type      | COB   |
| LED Brand     | Osram   |
| LED Number    | 12  |
| Cable Length  | 100cm supply cable + 15cm cable male + 15cm cable female                              |
| F Mark        |  |

## Illumination Data


|                      |   |
|----------------------|---|
| Colour Temperature   | 3000K   |
| Lumen Output         | 850lm   |
| Light Efficiency     | 70,83lm/W   |
| CRI                  | 80  |
| Beam Angle           | 60°x20°   |
| Illumination Diagram |  |

## Packing Info

|            |         |
|------------|---------|
| Box Weight | 0,763Kg |
| Pcs/Carton | 15      |

|               |               |
|---------------|---------------|
| Carton Length | 103cm         |
| Carton Width  | 28cm          |
| Carton Height | 20cm          |
| Carton Weight | 22,9Kg        |
| Barcode       | 5291889057253 |
| HS Code       | 9405409900    |

## Energy Label



## Certification & Warranty

|                |         |
|----------------|---------|
| Warranty       | 5 Years |
| Weee Directive | Yes     |

switch to  
**one light!**

**one**  
LIGHT

