



Flexible LED light strip, with SMD2216 LEDs, 60LEDs/meter, 4,8W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 10cm (6-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions

Cut every 10cm
(6-LED segment)




Gallery



Accessories



7822



7824

Related items



20030

Physical Specification

Item Group	09 LED Strips & Profiles
Family	The Blue LED Strips 24V
Order Code	7820/BL
Shape	Rectangular
Length	5000mm
Width	8mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	III
Power(Watts)	4,8W/m
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 3528
LED Brand	Refond
LED Number	60LEDs/m

Illumination Data

Colour Temperature

Blue

Illumination Diagram



Packing Info

Box Length

24cm

Box Width

21,5cm

Box Height

2cm

Box Weight

0,19kg

Pcs/Carton

40


Barcode

5291889017646

HS Code

9405409989

Energy Label



Warranty

5 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

