

09 LED Strips & Profiles > The Vertical Light Range 24V

## 7835V/W



Vertical light Flexible LED light strip, with SMD3014 LEDs, 120LEDs/meter, 14,4W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 5cm (6-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions




### Gallery



### Accessories



7822



7824



20030

Physical Specification


Item Group	09 LED Strips & Profiles
Family	The Vertical Light Range 24V
Order Code	7835V/W
Shape	Rectangular
Length	5m
Width	8mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	III
Power(Watts)	14,4W/m
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 3014
LED Brand	Refond
LED Number	120LEDS/m


## Illumination Data

Colour Temperature	3000K
Lumen Output	1152lm/m
Light Efficiency	80lm/W
CRI	90
Illumination Diagram	

## Packing Info

Box Length	24cm
Box Width	21,5cm
Box Height	2cm
Pcs/Carton	40
Barcode	5291889058793
HS Code	9405409989

## Energy Label



## Certification & Warranty

Warranty

5 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

