ONE LIGHT

09 LED Strips & Profiles>Modules for Signs & Backlit Applications

7840B/D

2x 0,5W/5W/m LED module, IP65 .

Supplied in 50pcs chain total length 10m.

Requires 12V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.

IP65 DIMMABLE CE

Downloads

Dimensions

50mm

18mm

10mm

Physical Specification

Item Group	09 LED Strips & Profiles
Family	Modules for Signs & Backlit Applications
Order Code	7840B/D
Material	Plastic
Shape	Rectangular
Length	50mm
Width	18mm
Height	10mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

ONE LIGHT

Outdoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	12V DC
Safety Class	◇III◇
Power(Watts)	2x0,5W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Epistar
LED Number	2
F Mark	▽F

Illumination Data

Colour Temperature	6000K
Lumen Output	90lm
Light Efficiency	90lm/W
Illumination Diagram	

Packing Info

Pcs/Carton	30
Barcode	5291889065616
HS Code	8539500000

Warranty	3 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT