

New 2020 Edition 2>LED Strips & Profiles

7841/C



Linear neonflex 24V DC, 14,4W/meter. Supplied in 5 meters roll with double adhesive tape for a better fixing.

Can be cut every 7cm.

Complete with 4pcs End Caps

Requires 24V DC constant voltage LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Related items



20030

Physical Specification

Item Group

New 2020 Edition 2

Family

LED Strips & Profiles

Order Code

7841/C

Material

Silicone


Shape

Rectangular


Length	5000mm
Width	6mm
Height	10mm
Surface Ceiling	Yes
Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes
Outdoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	14,4W/m
IP Rating	IP66
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Refond
LED Number	140LEDs/m
Cable Length	30cm
F Mark	

Illumination Data

Colour Temperature	4000K
Lumen Output	360lm/m
Light Efficiency	25lm/W
CRI	90
Illumination Diagram	

Packing Info

Pcs/Carton

1


Barcode

5291889059271

HS Code

9405409989

Energy Label



Certification & Warranty

Warranty

5 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

