\mathbf{e}

Product Datasheet

www.1-light.eu

7882/W

09 LED Strips & Profiles>The High Power Strips 24V

CE



Flexible LED light strip, with SMD2835 LEDs, 240LEDs/meter, 42W/meter.Supplied in 2 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 3,33cm (8-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Dimensions

Cut every 3,33cm (8-LED segment)

Gallery

£);}

Downloads

IES



Physical Specification

Item Group	09 LED Strips & Profiles
Family	The High Power Strips 24V
Order Code	7882/W
Shape	Rectangular
Length	2m
Width	12mm
Surface Ceiling	Yes



Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Electrical Characteristics

Fitting	
Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	42W/m
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Refond
LED Number	240Leds/m


Illumination Data

Colour Temperature	3000K
Lumen Output	6100lm/m
Light Efficiency	145lm/W
CRI	80
Illumination Diagram	

Box Length	24cm
Box Width	21,5cm
Box Height	2cm
Pcs/Carton	40
Barcode	5291889058786



Energy Label



Certification & Warranty

Warranty	5 Years
Weee Directive	Yes

switch to one light!



