Product Datasheet

www.1-light.eu

7885/W

09 LED Strips & Profiles>The High Power Strips 24V

CE



Flexible LED light strip, with SMD2835 LEDs, 294LEDs/meter, 48W/meter.Supplied in 2 meters roll with white PCB and double adhesive tape for a better fixing.

Can be cut every 7,14cm (21-LED segment).

Requires 24V DC constant voltage LED driver.

Complies with standard EN60598-1 and any other specific standards.



Dimensions

Cut every 7,14m (21-LED segment) -----

Gallery

£);}

Downloads

IES



Physical Specification

Item Group	09 LED Strips & Profiles
Family	The High Power Strips 24V
Order Code	7885/W
Shape	Rectangular
Length	2000mm
Width	39mm
Surface Ceiling	Yes



Surface Wall	Yes
Surface Floor/Ground	Yes
Indoor	Yes

Electrical Characteristics

Fitting	
Input Type	Constant Voltage
Input Voltage	24V DC
Safety Class	
Power(Watts)	48W/m
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Refond
LED Number	294LEDs/m
F Mark	F

Illumination Data


Colour Temperature	3000K
Lumen Output	4320lm/m
Light Efficiency	90lm/W
CRI	90
Illumination Diagram	

Box Length	16cm
Box Width	14,5cm
Box Height	5cm
Box Weight	0,24kg



Pcs/Carton	40
Barcode	5291889046233
HS Code	9405409989

Energy Label



Certification & Warranty 5 Years Warranty 5 Years Weee Directive Yes

switch to one light!



