

22 Emergency Lights > Emergency LED Recessed Spot

89002



2W Emergency LED recessed , IP20, assymetrical ideal for corridors installation.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	22 Emergency Lights
Family	Emergency LED Recessed Spot
Order Code	89002
Colour	White
Material	Aluminium + Plastic
Shape	Circular
Height	42mm
Diameter	85mm
Cutout Hole Diameter	72mm
Recessed Ceiling	Yes
Depth Required	120mm
Indoor	Yes

Adjustable

No

Electrical Characteristics

Gear

External-Included

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

2W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Power(Watts)

2W

IP Rating

IP20

Light Source

LED built in

LED Number

216

F Mark



Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz


Yes

Power(Watts)


2W

Power Factor

0,9

Constant Current	Yes
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Battery Capacity	3000mAh
Battery Voltage	3,6V
Operation Time	3Hrs
Charging Time	24Hrs
Maintened	Yes
Non Maintened	Yes


Illumination Data

Colour Temperature	6000K
Lumen Output	150lm
Light Efficiency	75lm/W
Illumination Diagram	

Packing Info

Box Length	27cm
Box Width	11cm
Box Height	7,5cm
Box Weight	0,7Kg
Pcs/Carton	12
Barcode	5291889047025
HS Code	8504408290

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

