

23 LED Drivers > Universal DALI Dimmable Range

89025L



DALI, Push to DIM & 1-10V LED driver Adjustable output using DIP switches.


Complies with standard EN61347-1 and any other specific standards.




Downloads



Dimensions



Wiring Diagram




Physical Specification

Item Group	23 LED Drivers
Family	Universal DALI Dimmable Range
Order Code	89025L
Material	Plastic

Shape	Rectangular
Length	150mm
Width	52mm
Height	30mm
Indoor	Yes

Electrical Characteristics

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	Refer to table
Power Factor	0.93
Constant Current	Yes
150mA	6-56V
200mA	6-56V
250mA	6-56V
300mA	6-56V
400mA	6-56V
450mA	6-56V
IP Rating	IP20
Safety Class	
Dimmable	Yes
Dimmer type	Dali, Push to Dim
Ambient Temp	-20~+45°C
Operating Temp	75°C
Housing Material	Plastic
Output Terminal	Cable
Fast Connector	Yes

Fast Connector Type
Brand
Protection

Other
One Light Ltd
Short Circuit / Overload / Overheat Protection

Packing Info

Box Length	16cm
Box Width	5,5cm
Box Height	3,5cm
Box Weight	0.2Kg
Pcs/Carton	40
Barcode	5291889057598
HS Code	8504408290

Certification & Warranty

Warranty	5 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

