


HIROSHIMA / CHAIR

A compact wooden chair with a simple yet elegant structure. This armless chair retains the natural feeling of wood while the seat, legs and back seem to melt together with a feel that is sleek to the touch. Additionally, even though the seat is thin with a sense of unity, many innovations have been incorporated to make it extremely comfortable. The removable fabric cover allows you to match the season or interior design, and also makes for easy maintenance. This stylish chair gives a sharp impression as well as fully expressing the warm feeling of the wood.



DESIGN



NAOTO FUKASAWA , 2010

"Rather than a chair created through the assembly of square pieces of timber, what has been fashioned is a small chair with an untouched feel to it that appears as though it has been hewn from a single log. The rounded back of the chair, which follows the contour of the human back, overlaps with the image of the HIROSHIMA armchair."

MATERIAL & FINISH

beech




NL-0
whitish

EC-1
mat black

EA-1
mat white

oak



C-0
clear

NL-0
whitish

NK-1
natural black

OG-0
light gray

WARRANTY

We will guarantee the product for two years from the date of delivery of the product. For the content of quality assurance please see the "Warranty Policy" included in the product.

TESTS

ISO7173-L4 / Determination of strength and durability

ISO7174 / Determination of stability

TECHNICAL INFORMATION

WOOD

The wood used in this product is obtained from beech trees in Europe and oak trees in North America that are managed and felled in a planned manner. If required, we can manufacture furniture with the FSC® or PEFC™ certification. In that case, however, longer lead-time will be required to procure the wood.

UPHOLSTERY

The seat is made of a polypropylene foam sheet combined with urethane foam.

GLIDE

The leg tips can be equipped with polyethylene gliders, which are sold separately. You can choose between felt and plastic bottom parts.

VOC

The coating, glue, plywood, and MDF used here reduce VOC emissions in manufacturing processes and finished products. These materials have been tested for formaldehyde emissions in accordance with the ISO12460 standard and confirmed not to exceed the 0.4 mg/l emission level.

FLAME RESISTANCE

The foam and materials of the product can be customized to meet the requirements of BS5852 Source 5 with a special order.

PURPOSE OF USE

Indoor

Maruni Wood Industry has established various test standards and designs for comfortable use, however, use of products beyond the expected scope can lead to cracking and snapping of wood parts. There are several things you should keep in mind in order to properly preserve the product and continue using it for a long time. Therefore, be sure to read the instruction manual beforehand.



Photo by Nacása & Partners Inc.

CHAIR

