


Stephanie
design.™

LIGHTING | FURNITURE | HOMEWARE




Tile



Tile



Dimensions



TILE JL-822-W

Size (L x W x D): 220x79x220 mm
 Voltage: AC 220-240V
 Watt: 8W
 Lumen: 130 lm
 CCT: 3000K
 IP: IP 65
 Housing material: Aluminum+PC

Finishing color

- Dark gray
- Black
- White


Value-added service

CCT-4000K/5000K
 Customized finishing color

Lighting snapshot





Photometric data




	Efficiency	Horizontal Spread	Vertical Spread
Field (10%):	96.6%	156.6°	92.4°
Beam (50%):	66.8%	98.9°	63.6°

Award







Endless possibilities



Use this space to plan your own TILE arrangement






Mushroom



Dimensions



MUSHROOM

JL-829-W

Size (L x H x D):	Ø150 x100 mm
Voltage :	AC 220-240V
Watt :	11 W
Lumen :	300 lm
CCT :	3000K
IP :	IP 65
Housing material :	Aluminum+Glass


Finishing color

Dark gray	
Black	
White	


Value-added service

CCT-4000K/5000K
 Customized finishing color

Lighting snapshot




Photometric data



	Efficiency	Horizontal Spread	Vertical Spread
Field (10%):	98.3%	165.8°	163.1°
Beam (50%):	85.9%	98.9°	130.9°


Top finishing color



Wood Marble Blue Red



Shower



SHOWER JL-830-W

Size (L x W x D): 250 x 169 x 40 mm
 Voltage: AC 220-240V
 Watt: 11W
 Lumen: 585 lm
 CCT: 3000 K
 IP: IP 65
 Housing material: Aluminum+Glass

Finishing color

- Dark gray
- Black
- White


Value-added service

CCT-4000K/5000K
 Customized finishing color


Lighting snapshot



Dimensions



Photometric data



	Efficiency	Horizontal Spread	Vertical Spread
Field (10%):	98.6%	160.8°	159.6°
Beam (50%):	74.9%	114.9°	113.8°

Award






Slot



Dimensions



SLOT

JL-820-W

Size (L x W x D):	170 x 116 x 76 mm
Voltage :	AC 220-240V
Watt :	8W
Lumen :	210 lm
CCT :	3000 K
IP :	IP 65
Housing material :	Aluminum+PC

Finishing color

Dark gray	
Black	
White	


Value-added service

CCT-4000K/5000K
Customized finishing color

Lighting snapshot



Photometric data



	Efficiency	Horizontal Spread	Vertical Spread
Field (10%):	97.4%	62.4°	77.4°
Beam (50%):	52.7%	47.1°	n/a



Bamboo



BAMBOO

JL-825-W

Size (L x W x D): 116 x 76 x 250 mm
 Voltage : AC 220-240V
 Watt : 6W
 Lumen : 380 lm
 CCT : 3000 K
 IP : IP 65
 Housing material : Aluminum+PC

Finishing color

- Dark gray 
- Black 
- White 


Value-added service

CCT-4000K/5000K
 Customized finishing color


Lighting snapshot



Dimensions



Photometric data



	Efficiency	Horizontal Spread	Vertical Spread
Field (10%):	96.6%	156.6°	92.4°
Beam (50%):	66.8%	98.9°	63.6°



Clip



CLIP

JL-821-W

Size (L x W x D): 69 x 52 x 251 mm
 Voltage : AC 220-240V
 Watt : 11W
 Lumen : 350 lm
 CCT : 3000 K
 IP : IP 65
 Housing material : Aluminum+PC

Finishing color

- Dark gray 
- Black 
- White 


Value-added service

- CCT-4000K/5000K
- Customized finishing color


Lighting snapshot



Dimensions



Photometric data



	Efficiency	Horizontal Spread	Vertical Spread
Field (10%):	92.5%	70.9°	n/a
Beam (50%):	43.6%	98.9°	n/a

Award





Leaf



LEAF

JL-827-W-1

Size (L x W x D): 200 x 165 x 184 mm
 Voltage : AC 220-240V
 Watt : 8W
 Lumen : 130 lm
 CCT : 3000 K
 IP : IP 65
 Housing material : Aluminum+Glass

Finishing color

- Dark gray
- Black
- White


Value-added service

CCT-4000K/5000K
 Customized finishing color


Lighting snapshot



Dimensions



Photometric data



	Efficiency	Horizontal Spread	Vertical Spread
Field (10%):	90.2%	92.5°	145.5°
Beam (50%):	50.9%	34.7°	100.3°

Award



YOUR INSPIRATION FOR
SECONDARY DESIGN SOLUTION


The image displays four vertical panels, each representing a season. Each panel has a distinct color and contains a circular traditional Chinese ink wash painting (shui mo) and the season's name in both English and Chinese characters.

- Spring (Spring):** Yellow background. The circular painting depicts a pink peony flower with the Chinese character '春' (Spring) written vertically. The English word 'SPRING' is written vertically in white. The Chinese character '春' is written in white with a dotted pattern below it.
- Summer (Summer):** Teal background. The circular painting depicts a lotus pond with green leaves and a red flower bud, with the Chinese character '夏' (Summer) written vertically. The English word 'SUMMER' is written vertically in white. The Chinese character '夏' is written in white with a striped pattern below it.
- Autumn (Autumn):** Orange background. The circular painting depicts a reed or grass with the Chinese character '秋' (Autumn) written vertically. The English word 'AUTUMN' is written vertically in white. The Chinese character '秋' is written in white with a dotted pattern below it.
- Winter (Winter):** Blue background. The circular painting depicts a plum blossom branch with the Chinese character '冬' (Winter) written vertically. The English word 'WINTER' is written vertically in white. The Chinese character '冬' is written in white with a dotted pattern below it.

Pill



Dimensions



PILL JL-831-R/S

Size (L x W x D):	Ø200 x 25 mm
Voltage:	AC 220-240V
Watt:	4W
Lumen:	60 lm
CCT:	3000 K
IP:	IP 65
Housing material:	Aluminum+PMMA

Finishing color

Dark gray	
Black	
White	


Value-added service

CCT-4000K/5000K
Customized finishing color

Lighting snapshot




Dimensions



PILL JL-832-R/R

Size (L x W x D):	Ø200 x 62 mm
Voltage:	AC 220-240V
Watt:	4W
Lumen:	60 lm
CCT:	3000 K
IP:	IP 65
Housing material:	Aluminum+PMMA


Photometric data



Award



Dimensions



PILL JL-831-S/S

Size (L x W x D):	200 x 200 x 25 mm
Voltage:	AC 220-240V
Watt:	4W
Lumen:	60 lm
CCT:	3000 K
IP:	IP 65
Housing material:	Aluminum+PMMA

Finishing color

Dark gray	
Black	
White	


Value-added service

CCT-4000K/5000K
Customized finishing color

Lighting snapshot




Dimensions



PILL JL-832-S/R

Size (L x W x D):	200 x 200 x 62 mm
Voltage:	AC 220-240V
Watt:	4W
Lumen:	60 lm
CCT:	3000 K
IP:	IP 65
Housing material:	Aluminum+PMMA

Photometric data




Award





Dimensions



PILL

JL-822-C

Size (L x W x D) :	300 x 80 x 25 mm
Voltage :	AC 220-240V
Watt :	8W
Lumen :	90 lm
CCT :	3000 K
IP :	IP 65
Housing material :	Aluminum+PMMA


Finishing color

Dark gray	
Black	
White	


Value-added service

CCT-4000K/5000K
Customized finishing color

Lighting snapshot



Photometric data



Award





Leaf



Slot

Tile



TILE

JL-822-B

Size (L x W x D):	236 x 104 x 720 mm
Voltage:	AC 220-240V
Watt:	8W
Lumen:	160 lm
CCT:	3000 K
IP:	IP 65
Housing material:	Aluminum+PC

Finishing color

Dark gray	
Black	
White	


Value-added service

CCT-4000K/5000K
Customized finishing color


Lighting snapshot



Dimensions



Photometric data



Award



DESIGN PLUS
powered by: light+building



Mushroom



MUSHROOM

JL-829-B

Size (L x W x D):	Ø150 x 600 mm
Voltage :	AC 220-240V
Watt :	11W
Lumen :	300 lm
CCT :	3000 K
IP :	IP 65
Housing material :	Aluminum+Glass


Finishing color

Dark gray	
Black	
White	


Value-added service

CCT-4000K/5000K
Customized finishing color


Lighting snapshot




Dimensions



Photometric data



Top finishing color



Wood Marble Blue Red

Mushroom



MUSHROOM

JL-829-B-H

Size (L x W x D):	Ø150 x 800 mm
Voltage:	AC 220-240V
Watt:	11W
Lumen:	300 lm
CCT:	3000 K
IP:	IP 65
Housing material:	Aluminum+Glass


Finishing color

Dark gray	
Black	
White	


Value-added service

CCT-4000K/5000K
Customized finishing color


Lighting snapshot




Dimensions



Photometric data




Top finishing color



Shower



Dimensions



SHOWER

JL-830-B

Size (L x W x D):	250 x 172 x 720 mm
Voltage:	AC 220-240V
Watt:	11W
Lumen:	585 lm
CCT:	3000 K
IP:	IP 65
Housing material:	Aluminum+Glass

Finishing color

Dark gray	
Black	
White	


Value-added service

CCT-4000K/5000K
Customized finishing color

Lighting snapshot



Photometric data



Award



Slot



SLOT

JL-820-B

Size (L x W x D):	Ø152 x 1000 mm
Voltage :	AC 220-240V
Watt :	11W
Lumen :	234 lm
CCT :	3000 K
IP :	IP 65
Housing material :	Aluminum+PC

Finishing color

Dark gray	
Black	
White	


Value-added service

CCT-4000K/5000K
Customized finishing color


Lighting snapshot



Dimensions



Photometric data



Bamboo



BAMBOO

JL-825-B

Size (L x W x D):	Ø152 x 925 mm
Voltage:	AC 220-240V
Watt:	8W
Lumen:	180 lm
CCT:	3000 K
IP:	IP 65
Housing material:	Aluminum+PC

Finishing color

Dark gray	
Black	
White	


Value-added service

CCT-4000K/5000K
Customized finishing color


Lighting snapshot




Dimensions



Photometric data



Clip



CLIP

JL-821-B

Size (L x W x D):	251 x 52 x 305 mm
Voltage:	AC 220-240V
Watt:	11W
Lumen:	350 lm
CCT:	3000 K
IP:	IP 65
Housing material:	Aluminum+PC


Finishing color

Dark gray	
Black	
White	


Value-added service

CCT-4000K/5000K
Customized finishing color


Lighting snapshot



Dimensions



Photometric data




Award



reddot award 2018
winner

Clip



CLIP

JL-821-B-H

Size (L x W x D):	130 x 110 x 1000 mm
Voltage :	AC 220-240V
Watt :	11W
Lumen :	350 lm
CCT :	3000 K
IP :	IP 65
Housing material :	Aluminum+PC

Finishing color

Dark gray	
Black	
White	


Value-added service

CCT-4000K/5000K
Customized finishing color


Lighting snapshot



Dimensions



Photometric data





Shower



Quad



Quad



QUAD

JL-833-Q-17

Size (L x W x D) :	180 x 140 x 173 mm
Voltage :	AC 220-240V
Watt :	11W
Lumen :	670 lm
CCT :	3000 K
IP :	IP 65
Housing material :	Aluminum+Glass

Finishing color

Dark gray	
Black	
White	


Value-added service

- CCT-4000K/5000K
- Customized finishing color


Lighting snapshot



Dimensions




Photometric data



	Efficiency	Horizontal Spread	Vertical Spread
Field (10%):	84.7%	28.6°	28.9°
Beam (50%):	53.1%	17.6°	17.6°



Dimensions



QUAD JL-833-Q-30

Size (L x W x D): 180 x 140 x 303 mm
 Voltage : AC 220-240V
 Watt : 11W
 Lumen : 670 lm
 CCT : 3000 K
 IP : IP 65
 Housing material : Aluminum+Glass


Finishing color




Value-added service

CCT-4000K/5000K
 Customized finishing color


Lighting snapshot




Photometric data



	Efficiency	Horizontal Spread	Vertical Spread
Field (10%):	84.7%	28.6°	28.9°
Beam (50%):	53.1%	17.6°	17.6°



Dimensions



QUAD JL-833-Q-50

Size (L x W x D): 180 x 140 x 500 mm
 Voltage : AC 220-240V
 Watt : 11W
 Lumen : 670 lm
 CCT : 3000 K
 IP : IP 65
 Housing material : Aluminum+Glass

Finishing color




Value-added service

CCT-4000K/5000K
 Customized finishing color

Lighting snapshot



Photometric data



	Efficiency	Horizontal Spread	Vertical Spread
Field (10%):	84.7%	28.6°	28.9°
Beam (50%):	53.1%	17.6°	17.6°



Puck



PUCK

JL-834-R-17

Size (L x W x D): Ø140 x 140 x 173 mm
 Voltage : AC 220-240V
 Watt : 11W
 Lumen : 670 lm
 CCT : 3000 K
 IP : IP 65
 Housing material : Aluminum+Glass

Finishing color

- Dark gray 
- Black 
- White 


Value-added service

CCT-4000K/5000K
 Customized finishing color


Lighting snapshot



Dimensions




Photometric data




	Efficiency	Horizontal Spread	Vertical Spread
Field (10%):	84.7%	28.6°	28.9°
Beam (50%):	53.1%	17.6°	17.6°



Dimensions



Photometric data



	Efficiency	Horizontal Spread	Vertical Spread
Field (10%):	84.7%	28.6°	28.9°
Beam (50%):	53.1%	17.6°	17.6°

PUCK JL-834-R-30

Size (L x W x D): Ø140 x 140 x 303 mm
 Voltage: AC 220-240V
 Watt: 11W
 Lumen: 670 lm
 CCT: 3000 K
 IP: IP 65
 Housing material: Aluminum+Glass

Finishing color




Value-added service

CCT-4000K/5000K
 Customized finishing color


Lighting snapshot



Dimensions



Photometric data



	Efficiency	Horizontal Spread	Vertical Spread
Field (10%):	84.7%	28.6°	28.9°
Beam (50%):	53.1%	17.6°	17.6°

PUCK JL-834-R-50

Size (L x W x D): Ø140 x 140 x 500 mm
 Voltage: AC 220-240V
 Watt: 11W
 Lumen: 670 lm
 CCT: 3000 K
 IP: IP 65
 Housing material: Aluminum+Glass

Finishing color




Value-added service

CCT-4000K/5000K
 Customized finishing color

Lighting snapshot





FL1



FL1

JL-835

Size (L x W x D):	Ø120 x 288 mm
Voltage :	AC 220-240V
Watt :	24W
Lumen :	1860 lm
CCT :	3000 K
IP :	IP 65
Housing material :	Aluminum+Glass


Finishing color

Dark gray	
Black	
White	

Value-added service

CCT-4000K/5000K
Customized finishing color


Dimensions





FL1 JL-835 SPOT 18°

Photometric data




■ -0° H ■ -90° H

H(m)	E(lx)	D(m)
2	3559	0.6
4	890	1.3
6	395	1.9
8	222	2.5
10	142	3.2



FL1 JL-835 OVAL 14°x33°

Photometric data





■ -0° H ■ -90° H

H(m)	E(lx)	D(m)
2	2664	0.5x1.2
4	661	1.0x2.3
6	293	1.5x3.5
8	165	2.0x4.7
10	106	2.5x5.9

FL1 JL-835 FLOOD 33°

Photometric data




■ -0° H ■ -90° H

H(m)	E(lx)	D(m)
2	1064	1.2
4	266	2.4
6	118	3.6
8	66	4.8
10	42	6.0

FL1 JL-835 OVAL 14°x56°

Photometric data




■ -0° H ■ -90° H

H(m)	E(lx)	D(m)
2	1332	0.5x2.2
4	333	1.0x4.3
6	148	1.5x6.5
8	83	2.0x8.6
10	53	2.5x12.9

FL1S JL-835 WIDE FLOOD 50°

Photometric data




■ -0° H ■ -90° H

H(m)	E(lx)	D(m)
2	573	1.9
4	143	3.8
6	64	5.7
8	36	7.6
10	23	9.5



FL1S



FL1S

JL-836

Size (L x W x D):	Ø70 x 288 mm
Voltage :	AC 220-240V
Watt :	12W
Lumen :	830 lm
CCT :	3000 K
IP:	IP 65
Housing material :	Aluminum+Glass

Finishing color

Dark gray	
Black	
White	


Value-added service

CCT-4000K/5000K
Customized finishing color



FL1S JL-836 SPOT 18°

Photometric data




H(m)	E(lx)	D(m)
2	1600	0.6
4	400	1.3
6	178	1.9
8	222	2.5
10	100	3.2



FL1 JL-836 OVAL 14°x33°


Photometric data



H(m)	E(lx)	D(m)
2	1200	0.5x1.2
4	297	1.0x2.3
6	132	1.5x3.5
8	75	2.0x4.7
10	48	2.5x5.9

FL1 JL-836 FLOOD 33°


Photometric data



H(m)	E(lx)	D(m)
2	480	1.2
4	120	2.4
6	53	3.6
8	30	4.8
10	19	6.0

FL1 JL-836 OVAL 14°x56°


Photometric data



H(m)	E(lx)	D(m)
2	600	0.5x2.2
4	150	1.0x4.3
6	67	1.5x6.5
8	37	2.0x8.6
10	24	2.5x12.9


FL1S JL-836 WIDE FLOOD 50°

Photometric data






H(m)	E(lx)	D(m)
2	258	1.9
4	64	3.8
6	29	5.7
8	16	7.6
10	10	9.5

Mounting



for **FL1** JL-835 + **FL1S** JL-836






Acacia



Dimensions



ACACIA JL-839-1

Size (L x W x D): 420 x 2400 mm
Voltage : AC 220-240V
Watt : 20W
Lumen : 1000 lm
CCT : 3000 K
IP : IP 65
Housing material : Aluminum+Glass


Finishing color




Value-added service

CCT-4000K/5000K
Customized finishing color


Lighting snapshot



Photometric data



Dimensions



ACACIA JL-839-2

Size (L x W x D): 991 x 3500 mm
Voltage : AC 220-240V
Watt : 15W x 2
Lumen : 1000 lm
CCT : 3000 K
IP : IP 65
Housing material : Aluminum+Glass


Finishing color




Value-added service

CCT-4000K/5000K
Customized finishing color

Lighting snapshot





Photometric data





Dimensions



ACACIA JL-839-3

Size (L x W x D): 1221 x 3500 mm
 Voltage : AC 220-240V
 Watt : 15W x 3
 Lumen : 1000 lm
 CCT : 3000 K
 IP : IP 65
 Housing material : Aluminum+Glass


Finishing color

Dark gray 
 Black 
 White 


Value-added service

CCT-4000K/5000K
 Customized finishing color



Lighting snapshot



Photometric data



Dimensions



ACACIA JL-839-4

Size (L x W x D): 1753 x 3500 mm
 Voltage : AC 220-240V
 Watt : 15W x 4
 Lumen : 1000 lm
 CCT : 3000 K
 IP : IP 65
 Housing material : Aluminum+Glass


Finishing color

Dark gray 
 Black 
 White 


Value-added service

CCT-4000K/5000K
 Customized finishing color

Lighting snapshot



Photometric data



www.stephaniengdesign.com

Stephanie Ng Design (1242665-A)
83, Jalan Telawi, Bangsar Baru, 59100 Kuala Lumpur, Malaysia
Tel: +603 2202 2028 | Email : hello@stephaniengdesign.com