4.5" Power-V Racing Clutch



PTT's 4.5" Power-V racing clutches are the lightest Moment of Inertia (MOI) clutches in our



product line. They have approximately half the MOI of our 5.5" clutches. If the rules you race under allow a clutch this

small, you cannot afford to pass up this speed advantage.

The simple facts are this:

A PTT 4.5" clutch makes your racecar accelerate faster. The lower the rotating weight in your racecar's driveline allows your engine's horsepower to accelerate the car faster. A PTT 4.5" clutch also allows

the car to decelerate faster while using less of your brakes. (There is less drivetrain inertia that the brakes have to slow down so you get more 'engine braking' with a lighter clutch.) Quicker Shifting is another great advantage. The lighter clutch discs allow quicker shifting, also causing less wear on the syncros, or dog rings, in your transmission. Lower M.O.I. clutch discs change RPM faster, causing less stress on transmission parts.


When it is time to select a winning clutch for your racecar, remember:

Lighter really is FASTER!

Put the championship winning reliability and competitive advantage of a PowerTrain Technology Clutch to work for YOU!



Powers 5-leg clutch for cutting edge M.O.I. reduction



Put "THE POWER" to work for you! www.PowerTrainTech.com

Raci	Power-Ving ches		10-Bolt Clutch 이 이 이 이	C116A1 C216A1 C258A1 C316A1 C358A1 C416A1	Axx 2 Axx 2 Axx 3 Axx 3 Axx 3	2D Clutch w/ 2D Clutch w/ 3D Clutch w/ 3D Clutch w/	Metallic Lining, Metallic Lining, Iron Hi-Torg Lin Metallic Lining, Iron Hi-Torg Lin Metallic Lining,	.105" thick ing, .105" .105" thick ing, .105"
	CS116A1A xx	1D Clutch w/ Me				4.5	" Power	STAR
PowerSTAR 5-Bolt Clutch	CS216A1Axx	2D Clutch w/ Me				and the	5-Bolt	Rácing
er.S. It CI	CS258A1A xx	2D Clutch w/ Iro						lutches
-Bo	CS316A1A xx		Metallic Lining, .105" thick					
ъ Л	CS358A1Axx	3D Clutch w/ Iro				CON CON	SNA SNA	WIZ
	CS416A1Axx 4D Clutch w/ Metallic Linir							
	xx = Spline Size (see chart page 28)						~	
(EM = Early Includes cli 10-BOL	4.5" Clutch & Btn. Flywheel Assembly (EM = Early Model '85 & Earlier, LM = Late Model '86 to '97) Includes clutch bolt kit 10-BOLT CLUTCH KITS					tch, Btn. Fly Model '85 & Earlier h bolt kit KITS	y, & Low M.O. , LM = Late Model '86	I. Flexplate
<u>2 DISC</u>	2 DISC CLUTCH ASSEMBLY			2	DISC	CLUTCH AS	SSEMBLY	$-\mathbf{U}$
Chevy SB V-8	_a KC2128	1-1/8" x 10 spline			Chevy SB V-8 EM	KC2148	1-1/8" x 10 splir	ne
	TKOL 120	1-5/32" x 26 spline	_	▎▕▖		KC2149	1-5/32" x 26 spl	
Chevy SB V-8 LM	tt	1-1/8" x 10 spline			Chevy SB V-8 LM FvfBal	KC2948	1-1/8" x 10 splir	
	102323	1-5/32" x 26 spline	_			102343	<u>1-5/32" x 26 spl</u>	
Chevy LS1		1-1/8" x 10 spline 1-5/32" x 26 spline			Chevy LS1 V-8	KC2048 KC2049	1-1/8" x 10 splir 1-5/32" x 26 spl	
0 -				0 = 1	NU.2049	1-1/1/ X / N SNI		

KC2029 **3 DISC CLUTCH ASSEMBLY**

Chevy SB V-8 EM	KC3128	1-1/8" x 10 spline
E Ch SB Ch	KC3129	1-5/32" x 26 spline
Chevy SB V-8 LM ExtBal	KC3928	1-1/8" x 10 spline
EX L SB C	KC3929	1-5/32" x 26 spline
chevy LS1 V-8	KC3028	1-1/8" x 10 spline
< Ľ Č	KC3029	1-5/32" x 26 spline

5-BOLT **CLUTCH KITS**




2 DISC PowerSTAR CLUTCH ASSY

Image: Second system Image: Se	Chevy SB V-8 EM	KS2128	1-1/8" x 10 spline
الم	E SB CH	KS2129	1-5/32" x 26 spline
الم	evy V-8 M tBal	KS2928	1-1/8" x 10 spline
	ы с В с	KS2929	1-5/32" x 26 spline
్ ^{చ>} KS2029 1-5/32" x 26 spline	evy S1 -8	KS2028	1-1/8" x 10 spline
	< ²² C	KS2029	1-5/32" x 26 spline

3 DISC PowerSTAR CLUTCH ASSY

Chevy SB V-8 EM	KS3128	1-1/8" x 10 spline		
ш В С	KS3129	1-5/32" x 26 spline		
Chevy SB V-8 LM ExtBal	KS3928	1-1/8" x 10 spline		
EX CH SB CH	KS3929	1-5/32" x 26 spline		
Chevy LS1 V-8	KS3028	1-1/8" x 10 spline		
< <u>c</u> c	KS3029	1-5/32" x 26 spline		



KS3049

1-5/32" x 26 spline

PowerTrain Technology Ph: 847-458-2323 Fax: 847-458-2324

4.5" Clutch Reverse Starter Mount **Bellhousing Kits**

0]

DowerTRA

Chevy Reverse Starter

Mount Bellhousing

Reverse Mount Starter

Kit includes: Clutch, LtWt Button Flywheel, Reverse Starter Mount Bellhousing (aluminum or magnesium), Reverse Mount Starter, Hydraulic Release Bearing with External Bleeder kit (Hydro-MAX or Tri-MAX), Reverse Mount Ring Gear, Clutch Bolts & Flywheel Bolts.

> NOTE: Advise your dealer if you are running a 1/4" motor plate.



đ

4.5" Clutch

4.5" Btn. Flywheel



Clutch Bolts



Flvwheel Bolts

	ALUMIN	IUM BH	BH MAGNESIUM BH		pline	Buils Duits
	2 Disc	3 Disc	2 Disc	3 Disc	Spl	Hydraulic Rel. Brg.
	BC2118	BC3118	BC2158	BC3158	0T	Hydro-MAX drop-in HRB
Chevy SB V-8 EM	BC2128	BC3128	BC2168	BC3168	10	Tri-MAX bolt-in HRB
E SB Ch	BC2119	BC3119	BC2159	BC3159	26T	Hydro-MAX drop-in HRB
- •,	BC2129	BC3129	BC2169	BC3169	26	Tri-MAX bolt-in HRB
N M	BC2818	BC3818	BC2858	BC3958	0T	Hydro-MAX drop-in HRB
P −8	BC2828	BC3828	BC2868	BC3968	10	Tri-MAX bolt-in HRB
Chevy SB V-8 LM	BC2819	BC3819	BC2859	BC3959	6Т	Hydro-MAX drop-in HRB
- U)	BC2829	BC3829	BC2869	BC3969	26	Tri-MAX bolt-in HRB
	BC2918	BC3918	BC2958	BC3958	0T	Hydro-MAX drop-in HRB
s V-8 S V-8 M	BC2928	BC3928	BC2968	BC3968	10	Tri-MAX bolt-in HRB
Chevy SB V-8 LM Ext. Bal	BC2919	BC3919	BC2959	BC3959	6Т	Hydro-MAX drop-in HRB
	BC2929	BC3929	BC2969	BC3969	2(Tri-MAX bolt-in HRB
Chevy _S1 V-8	BC2018	BC3018	BC2058	BC3058	оT	Hydro-MAX drop-in HRB
	BC2028	BC3028	BC2068	BC3068	10	Tri-MAX bolt-in HRB
Ch.	BC2019	BC3019	BC2059	BC3059	26T	Hydro-MAX drop-in HRB
	BC2029	BC3029	BC2069	BC3069	26	Tri-MAX bolt-in HRB

Hydro-MAX

or Tri-MAX

EM = Early Model '85 & earlier, LM = Late Model '86 to '97

Put "THE POWER" to work for you! www.PowerTrainTech.com

4.5" Clutch Packs

	PC116A xx	1D w/ Metallic Lining	
erec allic Thi	PC216A xx	2D w/ Metallic Lining	
Sintered Metallic 105" Thick	PC316A xx	3D w/ Metallic Lining	
<u> </u>	PC416A xx	4D w/ Metallic Lining	
lron .105" Thick	PC158A xx	1D w/ Hi-Torque Iron Lining	
	PC258A xx	2D w/ Hi-Torque Iron Lining	
un H	PC358A xx	3D w/ Hi-Torque Iron Lining	
<u> </u>	PC458A xx	4D w/ Hi-Torque Iron Lining	

LtWt, Button, Chevy SB V-8 EM

LtWt, Button, Chevy SB V-8 LM

LtWt, Button, Chevy LS1, V-8

LtWt, Button, Chrysler, 6 Bolt

Chevy, Ford, Chrysler SB V-8

LtWt, Button, Ford SB V-8

Chevy LS1 V-8

LtWt, Button, Chevy SB V-8 LM, Ext. Bal.

Balance Weight Only, Chevy SB V-8 LM



3D x .105" thick metallic



3D x .105" thick high torque iron



Chevy SB V-8 EM LtWt Button Flywheel



Bolt Kits for 4.5" Clutches

xx = Spline Size (see chart page 28)

EM = Early Model '85 & Earlier, LM = Late Model '86 to '97

4.5" Button Flywheels

FC101 FC103

FC1031

FC105

EB102

FC203

FC301

NK407076

NK400076

Chevy

Chrysler

Ford

Flywheel Bolts

NK104160	Bolt Kit, 2 Disc
NK104180	Bolt Kit, 3 Disc
NK104200	Bolt Kit, 4 Disc
NK104165	Bolt Kit, 2 Disc for PowerSTAR
NK104185	Bolt Kit, 3 Disc for PowerSTAR
NK104205	Bolt Kit, 4 Disc for PowerSTAR





4.5" Replacement Clutch Parts

N					
	CC101	Clutch Cover Assy., 1D X .105"			
ver sy. bol	CC201	Clutch Cover Assy., 2D X .105"			
Cover Assy. I0-bolt	CC301	Clutch Cover Assy., 3D X .105"			
	CC401	Clutch Cover Assy., 4D X .105"			
	CC151	Clutch Cover Assy., 1D X .105"			
Cover Assy. 5-bolt	CC251	Clutch Cover Assy., 2D X .105"			
As 5-b	CC351	Clutch Cover Assy., 3D X .105"			
	CC451	Clutch Cover Assy., 4D X .105"			
Pressure	CC031	10-bolt, Steel, Std. Fulcrum			
Plate	CC037	5-bolt, Steel, Std. Fulcrum			
er	CC041	Floater Plate			
Floater Plate	CC042	LtWt for 10-bolt clutch			
щщ Ц	CC047	LtWt for 5-bolt clutch			



4.5" Cover Assembly



4.5" Pressure Plate





4.5" 5-Bolt LtWt Floater

PowerTrain Technology Ph: 847-458-2323 Fax: 847-458-2324