



DANGER

KEEP OUT OF THE REACH OF CHILDREN

Feratox®

100 Bottle

BATCH No.

CONTAINER No.

EXPIRY DATE

Contains Potassium Cyanide 475g/kg in the form of a pellet
 Feratox® is the registered trademark of Aotea IP Holdings Ltd.

FOR THE CONTROL OF POSSUMS AND DAMA WALLABIES

Warning: The material inside these pellets is extremely dangerous if swallowed or absorbed through the skin. This material generates toxic hydrogen cyanide gas on contact with acids. Mild skin irritant and causes serious eye damage. Contact skin sensitiser. Suspected reproductive/development toxicant. Causes damage to organs. Very toxic to aquatic life, the soil environment, terrestrial vertebrates and terrestrial invertebrates.

Precautions: STORE IN THE ORIGINAL CONTAINER in a cold dry place away from foodstuffs and under lock and key. Carry overalls and gloves and use when disposing of damaged or expired pellets. Wash hands after use and before eating or smoking. Ensure the container is completely empty, burn and bury remains. Avoid contamination of any waterways with pellets or used containers.

Directions for Use: To be under control of an APPROVED HANDLER. Ensure the FERATOX pellet container is opened in a ventilated area.

For use on possums and dama wallabies: FERATOX must only be dispensed within a bait station, striker or bait bag displaying the appropriate warnings. Bait stations, strikers or bait bags must be set a minimum of 20 cm from the ground. Avoid getting the pellets wet or damp. Apply between 5 and 20 grams of FERAFEED non-toxic pellets or paste ensuring the FERATOX pellet is covered by the feed. This may be sufficient to ensure the possum or wallaby is confidently feeding on the bait crushing the FERATOX pellet in the process.

FERATOX pellets will decompose and detoxify within days once they have become completely wet. Bury wet and decomposing baits in at least 60cm of damp soil. It is extremely important to prevent access to baits by domestic livestock and pets. Stock must be kept off the treatment area until baits have been removed or destroyed. Treat pellets as lethal as long as they are visible. Report lost or stolen pellets to the Police and the local Medical Officer of Health. No person shall apply or otherwise use FERATOX pellets contrary to the instructions on this label.

Symptoms of Poisoning: Symptoms include dizziness, rapid breathing, headache, drowsiness, rapid pulse, unconsciousness and convulsions.

First Aid: If exposed or concerned, get medical advice. For advice, contact National Poisons Centre, 0800 POISON (0800 764 766). If persons feel unwell or symptoms develop, get immediate medical attention. If ingested, or suspected inhalation of cyanide gas, remove to fresh air, keep warm at rest. CALL AN AMBULANCE, DAIL 111. Have the victim rinse mouth thoroughly with water, DO NOT INDUCE VOMITING. If vomiting occurs naturally, rinse mouth and repeat administering water. If the contents of broken or decaying pellets come in contact with skin, remove contaminated clothing and wash the affected area with plenty of running water. DO NOT SCRUB THE SKIN.

If in contact with the eyes, flush with running water for at least 15 minutes. TAKE TO HOSPITAL IMMEDIATELY IF RECOVERY IS NOT COMPLETE. IN ALL CASES REFER TO PRODUCT SDS AT www.connovation.co.nz/safety-datasheets.

Spillage: Spilt pellets are safe to handle provided they are unbroken and not wet. Collect up spilt pellets and return them to the original container. Prevent spilt pellets from entering drains and waterways. DO NOT wash pellets away with water. Broken pellets require protective clothing, absorb with dry sand or absorbent and collect safely. Place in sealable containers.

Legal Obligations: This product must be used in bait stations, strikers or bait bags. This product must only be sold to or used by a person holding a Controlled Substances Licence issued by a Test Certifier who has been approved by the ACVM Group. Additional permissions may be required depending on method of use and location of use. Signs must be erected at every normal point of entry to the place where the bait is to be used. Signs must remain in place for not less than 2 months after the last date on which the bait was laid and until baits are retrieved, destroyed, have disintegrated or are no longer toxic. This product must only be used as specified in the label.

Shelf Life: Any product held after the expiry date shown on the container should be disposed of according to the label directions.

Livestock: It is extremely important to prevent access to baits by domestic livestock and pets. Stock must be kept off the treatment area until baits have been removed or destroyed.

Conditions of Sale: Aotea IP Holdings Ltd and Connovation Ltd will not accept any responsibility for any consequential loss, injury or damage arising in connection with the supply or use of these goods other than the goods be of merchantable quality at the time of sale. To the extent allowed by such statutes the liability of Aotea IP Holdings Ltd and Connovation Ltd is limited to the replacement or refund of the goods at the price paid.

EPA Approval Code: HSR001673
 HSN0 Classifications: 6.1B, 6.3B, 6.5B, 6.8B, 6.9A, 8.3A, 9.1A, 9.2A, 9.3A, 9.4A
 Registered pursuant to the ACVM Act 1997 No V 4713.
 See www.foodsafety.govt.nz for registration conditions
 Registrant: Aotea IP Holdings Ltd, c/- Carson Fox Legal,
 41 Dockside Lane, Auckland 1010

Proper Shipping Name		
POTASSIUM CYANIDE		
UN NUMBER	HAZCHEM	PACK GROUP
1680	4XE	II



Manufactured & Distributed by:

CONNOVATION CONSERVATION BY INNOVATION

36B Sir William Ave, East Tamaki, Auckland T: +64 9 273 4333 www.connovation.co.nz