


PVC Socket

eeziflo product specification data sheet.




Inch > Plain

[Buy Inch Socket](#)



SKU	Size (d)	L	Z	E	Bar
021.011.01	3/8"	14	3	23.5	15
021.011.02	1/2"	16	3	28	15
021.011.03	3/4"	19	3	34	15
021.011.04	1"	22	3	42	15
021.011.05	1 1/4"	26	3	51	15
021.011.06	1 1/2"	31	3	61	15
021.011.07	2"	38	3	75	15
022.011.075P	2 1/2"	44	4	88	15
021.011.09	3"	51	5	106	15
021.011.10	4"	61	6	129	15
022.011.140P	5"	76	9	161	15
021.011.12	6"	86	11	191	15
021.011.13	8"	119	11	258	15
021.011.14	10"	147	10	320	15




Inch > Plain to Threaded

[Buy Inch Socket](#)


SKU	Size (d x G)	L	L1	Z	E	E1	C	Bar
021.012.02	1/2"	16	15	4	28	28	30	12
021.012.03	3/4"	19	16.3	4	34	34	34	12
021.012.04	1"	22	19.1	5	42	42	42	12
021.012.05	1 1/4"	26	21.4	5	50	50	55	12
021.012.06	1 1/2"	31	21.4	5	61	61	65	12
021.012.07	2"	38	25.7	5	75	75	75	12
023.012.07508K	2 1/2"	44	30.2	5	89	89	90	12
021.012.09	3"	51	33.3	8	106	106	110	12
021.012.10	4"	61	39.3	8	129	129	129	12

All pressure ratings are quoted at a working pressure of +20°C

Inch > Threaded

[Buy Inch Socket](#)


SKU	Size (G)	L	Z	E	C	Bar
021.013.01	3/8"	11.4	6	23.5	24	12
021.013.02	1/2"	15	7	28	30	12
021.013.03	3/4"	16.3	7	34	36	12
021.013.04	1"	19.1	8	42	46	12
021.013.05	1 1/4"	21.4	8	50.5	55	12
021.013.06	1 1/2"	21.4	8	57.5	60	12
021.013.07	2"	25.7	8	71.5	75	12
021.013.08	2 1/2"	30.2	9	88	90	12
021.013.09	3"	33.3	10	102	105	12
021.013.10	4"	39.3	11	129	130	12



Metric > Plain


[Buy Metric Socket](#)

SKU	Size (d)	L	Z	E	Bar
022.011.016P	16mm	14	3	23.5	16
022.011.020P	20mm	16	3	28	10
022.011.025P	25mm	19	3	34	10
022.011.032P	32mm	22	3	42	16
022.011.040P	40mm	26	3	51	16
022.011.050P	50mm	31	3	61	16
022.011.063P	63mm	38	3	75	16
022.011.075P	75mm	44	4	88	16
022.011.090P	90mm	51	5	106	16
022.011.110P	110mm	61	6	126	16
022.011.125P	125mm	69	7	145	16
022.011.140P	140mm	76	9	161	16
022.011.160P	160mm	86	8	181	16
022.011.180K	180mm	96	8	209	10
022.011.200P	200mm	106	11	226	10
022.011.225P	225mm	119	11	258	10
022.011.250K	250mm	132.5	10	287	10
022.011.280I	280mm	146	8	314	8
022.011.315I	315mm	165	11	350	8
022.011.355F	355mm	185	11	386	5
022.011.400F	400mm	206	12	432	5
022.011.500E	500mm	159	11	540	4

All pressure ratings are quoted at a working pressure of +20°C

Metric > Plain to Threaded

[Buy Metric Socket](#)



SKU	Size (d x G)	L	L1	Z	E	E1	C	Bar
023.012.01601K	16mm x 3/8"	14	11.4	3	23.5	23.5	24	10
023.012.02002K	20mm x 1/2"	16	15	4	28	28	30	10
023.012.02503K	25mm x 3/4"	19	16.3	4	34	34	34	10
023.012.03204K	32mm x 1"	22	19.1	5	42	42	42	10
023.012.04005K	40mm x 1 1/4"	26	21.4	5	50	50	55	10
023.012.05006K	50mm x 1 1/2"	31	21.4	5	61	57.5	65	10
023.012.06307K	63mm x 2"	38	25.7	5	75	71.5	75	10
023.012.07508K	75mm x 2 1/2"	44	30.2	5	89	88.5	90	10
023.012.09009K	90mm x 3"	51	33.3	8	106	106	110	10
023.012.11010K	110mm x 4"	61	39.3	8	129	129	129	10
023.012.12511K	125mm x 5"	69	43.6	41	145	144		10

All pressure ratings are quoted at a working pressure of +20°C