
## **Aspen Church Shape Mirror**



Note: All dimensions are in millimetres (mm)

Stock Code	Size (mm)	Shape	Edge
AC5080GTD	500 x 800 x 5	Church	Polished Pencil Edge
THICK MIRROR  SMETH BA	ACKING FILE SPER-FREE MIRROR	2 CAUF	E-TO-WALL


**Please note:** Mirrors will need to be installed in accordance with the Installation Guide. Ablaze does not take responsibility for incorrect installation of these mirrors.





## **Thermomirror Mirror Demister**

Ultra-thin Demister Pad for use on Bathroom Mirrors




Stock Code	Size (mm)	Heat Output (W)	Voltage - Frequency
TM2841	280 x 410	24	220 - 240V 50Hz
10	240V IP	P64  SE IN BATHROOF  O.6MM  O.6MM	5.5MM
35-40°C		OOMM→	MADE IN EUROPE

Thermomirror demisters must be installed by a qualified electrican. The demister cannot be cut, pierced or modified in anyway.





## **Aspen Church Shape Mirror**



Note: All dimensions are in millimetres (mm) Size (mm) Stock Code Shape Edge AC5080HND 500 x 800 x 11 Church Polished Pencil Edge FOR EASY INS, RAIT MOUNTING

> Please note: Bracket location may vary +/- 5mm. do not pre-drill holes for mounts before confirming exact locations on your mirror. Do not use or measure from drawings.

Mirrors will need to be installed in accordance with the Installation Guide. Ablaze does not take responsibility for incorrect installation of these mirrors.




THICK MIRA



## **Thermomirror Mirror Demister**

Ultra-thin Demister Pad for use on Bathroom Mirrors



Stock Code	Size (mm)	Heat Output (W)	Voltage - Frequency
TM2841	280 x 410	24	220 - 240V 50Hz
10	240V (IF	P64  D.6MM	5.5MM
35-40°C		OOMM→	MADE IN EUROPE

Thermomirror demisters must be installed by a qualified electrican. The demister cannot be cut, pierced or modified in anyway.



