

Building Product Information

Athena High Flow Waste

Version: 1 : August 2023

Class 1

Product Name Athena High Flow Waste

Product Line

Product Identifier Wastes & Traps

Product Description

- The Athena Hi Flow waste is designed to fit Athena Shower trays.
- Designed for internal use only.
- It is suitable for residential and commercial applications
- The waste trap is made from ABS (Acrylonitrile butadiene styrene).
- The High flow waste has a 50mm bottom outlet.
- Available with a Chrome, white, black & grey lid
- The waste can be converted to trap with the fitment of the Athena Easyclean waste trap cup

Relevant Building Code Clauses

- G13– Foul Water
 - B2- Durability
-

Contribution to Compliance

- G13 /AS1 3.2- Water Trap Dimensions- The Athena Easy clean waste trap has a 75mm water seal to prevent foul air entering the building.
 - G13 /AS1 3.2.2 - As required for a shower the outlet is 40mm
 - It has a removable lid to access the internal bucket to enable removal of any caught debris.
 - G13 /AS1 2.1.1- The waste trap is designed to AS 2887- 1993
-

Scope of Use

Athena Hi Flow Wastes are designed to be installed in Athena trays. They are suitable for residential and commercial applications.

Conditions of Use

- A trap must be used in conjunction with the High Flow waste to prevent odours
 - If converted to an Easyclean waste trap by fitting an inner cup no other trap shall be fitted downstream
 - The inner cup must contain water to create the seal
 - Must be installed by a certified Plumber
-

Additional Information

Installation information visit - <https://athena.co.nz/installation/installation-instructions/>

Warranty & Maintenance information visit - <https://athena.co.nz/athena-warranty/>

Contact Details

Manufacture Location	New Zealand
Legal and trading name	OPR Ltd trading as Athena Bathrooms
Address for service	54-58 Hillside Rd, Glenfield, Auckland 0627
Website	www.athena.co.nz
Email	info@athena.co.nz
Phone number	(09) 443 9551
Manufacturers NZBN	9429038152573

Warnings and Bans

This building product is not subject to warning or ban under section 26 of the Building Act 2004
